

SysWorks

Reference Data

Order Number SWRK-RD-35

August 2009

This manual provides tables of reference data included with SysWorks™ products.

Revision/Update Information: This manual supercedes the SysWorks™ V3.4-1 Reference Data manual

Operation System and Version: OpenVMS VAX V7.2 or higher;
OpenVMS Alpha V7.2 or higher;
DECwindows/Motif V1.2-3 or higher

Software Version: SysWorks™ V3.5

© Corpita Pty Ltd 1987 - 2009.

All Rights Reserved.

Printed in Australia

The following are trademarks of Compaq Computer Corporation: ACMS, ALL-IN-1, AXP, BASIC, Bookreader, CDA, CI, DATATRIEVE, DBMS, DDIF, DEC, DEC ACCESSWORKS, DEC Ada, DEC C, DEC Fortran, DEC Pascal, DECdecision, DECdesign, DECdirect, DECdns, DECdocument, DECdtm, DECforms, DECimage, DECintact, DECmigrate, DECnet, DECnet/OSI, DECset, DECsupport, DECTp, DECwindows, Digital, DTIF, EDT, HSC, MASSBUS, MicroVAX, MicroVAX II, MSCP, OpenVMS, OpenVMS Cluster, RA, StorageWorks, TA, TMSCP, TURBOchannel, ULTRIX, VAX, VAX C, VAX MACRO, VAX-11/780, VAXcluster, VAXELN, VAXft, VAXstation, VIDA, VMS, VMScluster, VT100, and the DIGITAL logo.

PostScript is a registered trademark of Adobe Systems Inc.

Motif is a registered trademark of Open Software Foundation, Inc.

Oracle is a registered trademark, and Oracle CDD/Repository, Oracle CODASYL DBMS, Oracle Expert, Oracle Rally, Oracle Rdb, Oracle Trace and Rdb7 are trademarks of Oracle Corporation.

OSI is a registered trademark of CA Management, Inc

All other trademarks and registered trademarks are the property of their respective holders.

This document was prepared using DECdocument V3.3.

Contents

Send Us Your Comments	vii
Preface	ix
A Reference Data	
A.1 Address Usage Types	A-1
A.2 Australian States and Territories	A-1
A.3 Business Relationship Types	A-2
A.4 Canadian Provinces and Territories	A-2
A.5 Countries	A-2
A.6 Document Formats	A-9
A.7 Acrobat	A-9
A.8 Config	A-9
A.9 Email_OpenVMS	A-10
A.10 Email_UNIX	A-10
A.11 Envelope	A-10
A.12 HTML	A-11
A.13 Label	A-11
A.14 MS_Excel	A-11
A.15 MS_Word	A-12
A.16 Narrow	A-12
A.17 Normal	A-12
A.18 OpenOffice_Calc	A-13
A.19 OpenOffice_Writer	A-13
A.20 SDML	A-13
A.21 SQL	A-13
A.22 Text	A-14
A.23 XML	A-14
A.24 Wide	A-14
A.25 Member Relationship Types	A-15
A.26 Storage Areas	A-17
A.27 Thoroughfare Suffices	A-17
A.28 Thoroughfare Types	A-18
A.29 United States States and Territories	A-23

Index

Tables

A-1	Address Usage Types	A-1
A-2	Australian States and Territories	A-1
A-3	Business Relationship Type	A-2
A-4	Canadian Provinces and Territories	A-2
A-5	Countries	A-2
A-6	Member Relationship Type	A-15
A-7	Storage Area	A-17
A-8	Thoroughfare Suffices	A-17
A-9	Thoroughfare Types	A-18
A-10	United States States and Territories	A-23

Send Us Your Comments

We welcome your comments on this manual or any SysWorks manual. If you have suggestions for improvements or find any errors, please indicate the chapter, section and page number (if available). Your input is valuable in improving future releases of our documentation.

You can send comments to us in the following ways:

- **Email**—<http://www.sysworks.com.au/contact.php>
- **Phone**—+61 (03) 9411 4411
- **FAX** —+61 (03) 9411 4499
- **Postal service**

SysWorks
Corpita Pty Ltd
15 Bedford Street
Collingwood VIC 3066
Australia

Preface

This manual provides tables of reference data included with SysWorks™ products.

Intended Audience

This manual is intended for all SysWorks™ users.

Conventions

The following conventions are used in this document:

Conventions	Description
<code>Ctrl/X</code>	A sequence such as <code>Ctrl/X</code> indicates that you must hold down the key labeled <code>Ctrl</code> while you press another key or a pointing device button.
<code>[]</code>	In format descriptions, brackets indicate that whatever is enclosed is optional; you can select none, one or all of the choices. In system prompts indicates the default value which will be assumed if the Return key is pressed without first entering a value.
<code>{}</code>	In format descriptions, braces surround a required choice of options; you must choose one of the options listed.
<code> </code>	In format descriptions, vertical bars separate the options. If the options are enclosed in brackets (i.e. <code>[]</code>) you can select none, one or all of the choices. If the options are enclosed in braces (i.e. <code>{}</code>) you must choose one of the options listed.
<code>()</code>	In system prompts, parenthesis indicate the list of values one of which may be entered. The values are separated by a forward slash "/"
<code>...</code>	An elipsis indicates that a value within a range may be chosen or a syntax repeated. A range may be indicated by a pair of end values, or an end value and an end keyword. For example <code>Disk quota (0..unlimited)</code> indicates that the keyword <code>unlimited</code> may be used to represent the highest possible disk quota.
<i>italic text</i>	Italicized words and letters indicate that you should substitute a word or value of your choice.
UPPERCASE TEXT	Uppercase letters indicate the name of a command or routine.
monospace text	Normal monospace text indicates system prompts and output.
bold monospace text	Bold monospace text indicates user responses to system prompts.
<i>bold monospace italic text</i>	Bold monospace italic text indicates user responses to system prompts which need appropriate value substitution.

Conventions	Description
mouse	The term <i>mouse</i> is used to refer to any pointing device such as a mouse, a puck or a stylus.
MB1, MB2, MB3	MB1 indicates the left mouse button, MB2 indicates the middle mouse button, and MB3 indicates the right mouse button. (The buttons can be redefined by the user.)

Unless otherwise noted, all numeric values are represented in decimal notation.

Reference Data

This appendix lists various reference data tables provided with SysWorks™.

A.1 Address Usage Types

The address usage types provided with SysWorks™ are listed in A-1.

Table A-1 Address Usage Types

Code	Display	Description
BILLING	Billing	
DELIVERY	Delivery	
GENERIC	Generic	
HOME	Home	
POSTAL	Postal	

A.2 Australian States and Territories

The Australian states and territories provided with SysWorks™ are listed in A-2.

Table A-2 Australian States and Territories

State or Territory	Description
ACT	Australian Capital Territory
NSW	New South Wales
NT	Northern Territory
QLD	Queensland
SA	South Australia
TAS	Tasmania
VIC	Victoria
WA	Western Australia

A.3 Business Relationship Types

The business relationship types provided with SysWorks™ are listed in A-3.

Table A-3 Business Relationship Type

Code	Description A	Description B
Subsidiary	is a subsidiary of	has a subsidiary of
Trading	is a business of	trading as

A.4 Canadian Provinces and Territories

The Canadian provinces and territories provided with SysWorks™ are listed in A-4.

Table A-4 Canadian Provinces and Territories

Province or Territory	Description
AB	Alberta
BC	British Columbia
LB	Labrador
MB	Manitoba
NB	New Brunswick
NF	Newfoundland
NS	Nova Scotia
NT	Northwest Territories
ON	Ontario
PE	Prince Edward Island
PQ	Quebec
SK	Saskatchewan
YT	Yukon Territory

A.5 Countries

The country codes provided with SysWorks™ are listed in A-5.

Table A-5 Countries

ISO 3166 Code	Telephone Country Code	Description	Adjective
AD		Andorra	
AE		United Arab Emirates	
AF		Afghanistan	
AG		Antigua and Barbuda	
AI		Anguilla	

Table A-5 (Cont.) Countries

ISO 3166 Code	Telephone Country Code	Description	Adjective
AL		Albania	
AM		Armenia	
AN		Netherlands Antilles	
AO		Angola	
AQ		Antarctica	
AR		Argentina	
AS		American Samoa	
AT		Austria	
AU	61 Format 1 = +cc sa dddd dddd Format 2 = (aa) dddd dddd Format 3 = dddd dddd	Australia	Australian
AW		Aruba	
AX		Åland Islands	
AZ		Azerbaijan	
BA		Bosnia and Herzegovina	
BB		Barbados	
BD		Bangladesh	
BE		Belgium	
BF		Burkina Faso	
BG		Bulgaria	
BH		Bahrain	
BI		Burundi	
BJ		Benin	
BM		Bermuda	
BN		Brunei Darussalam	
BO		Bolivia	
BR		Brazil	
BS		Bahamas	
BT		Bhutan	
BV		Bouvet Island	
BW		Botswana	
BY		Belarus	
BZ		Belize	
CA	1	Canada	Canadian
CC		Cocos (Keeling) Islands	

Table A-5 (Cont.) Countries

ISO 3166 Code	Telephone Country Code	Description	Adjective
CD		Congo, The Democratic Republic of the	
CF		Central African Republic	
CG		Congo	
CH		Switzerland	
CI		Cote D'Ivoire	
CK		Cook Islands	
CL		Chile	
CM		Cameroon	
CN		China	
CO		Colombia	
CR		Costa Rica	
CS		Serbia and Montenegro	
CU		Cuba	
CV		Cape Verde	
CX		Christmas Island	
CY		Cyprus	
CZ		Czech Republic	
DE		Germany	
DJ		Djibouti	
DK		Denmark	
DM		Dominica	
DO		Dominican Republic	
DZ		Algeria	
EC		Ecuador	
EE		Estonia	
EG		Egypt	
EH		Western Sahara	
ER		Eritrea	
ES		Spain	
ET		Ethiopia	
FI		Finland	
FJ		Fiji	
FK		Falkland Islands (Malvinas)	
FM		Micronesia, Federated States of	
FO		Faroe Islands	
FR		France	
GA		Gabon	
GB	44	United Kingdom	
GD		Grenada	

Table A-5 (Cont.) Countries

ISO 3166 Code	Telephone Country Code	Description	Adjective
GE		Georgia	
GF		French Guiana	
GH		Ghana	
GI		Gibraltar	
GL		Greenland	
GM		Gambia	
GN		Guinea	
GP		Guadeloupe	
GQ		Equatorial Guinea	
GR		Greece	
GS		South Georgia and the South Sandwich Islands	
GT		Guatemala	
GU		Guam	
GW		Guinea-Bissau	
GY		Guyana	
HK		Hong Kong	
HM		Heard Island and McDonald Islands	
HN		Honduras	
HR		Croatia	
HT		Haiti	
HU		Hungary	
ID		Indonesia	
IE		Ireland	
IL		Israel	
IN		India	
IO		British Indian Ocean Territory	
IQ		Iraq	
IR		Iran, Islamic Republic of	
IS		Iceland	
IT		Italy	
JM		Jamaica	
JO		Jordan	
JP		Japan	
KE		Kenya	
KG		Kyrgyzstan	
KH		Cambodia	
KI		Kiribati	
KM		Comoros	

Table A-5 (Cont.) Countries

ISO 3166 Code	Telephone Country Code	Description	Adjective
KN		Saint Kitts and Nevis	
KP		Korea, Democratic People's Republic of	
KR		Korea, Republic of	
KW		Kuwait	
KY		Cayman Islands	
KZ		Kazakhstan	
LA		Lao People's Democratic Republic	
LB		Lebanon	
LC		Saint Lucia	
LI		Liechtenstein	
LK		Sri Lanka	
LR		Liberia	
LS		Lesotho	
LT		Lithuania	
LU		Luxembourg	
LV		Latvia	
LY		Libyan Arab Jamahiriya	
MA		Morocco	
MC		Monaco	
MD		Moldova, Republic of	
MG		Madagascar	
MH		Marshall Islands	
MK		Macedonia, The Former Yugoslav Republic of	
ML		Mali	
MM		Myanmar	
MN		Mongolia	
MO		Macao	
MP		Northern Mariana Islands	
MQ		Martinique	
MR		Mauritania	
MS		Montserrat	
MT		Malta	
MU		Mauritius	
MV		Maldives	
MW		Malawi	
MX		Mexico	
MY		Malaysia	
MZ		Mozambique	

Table A-5 (Cont.) Countries

ISO 3166 Code	Telephone Country Code	Description	Adjective
NA		Namibia	
NC		New Caledonia	
NE		Niger	
NF		Norfolk Island	
NG		Nigeria	
NI		Nicaragua	
NL		Netherlands	
NO		Norway	
NP		Nepal	
NR		Nauru	
NU		Niue	
NZ		New Zealand	
OM		Oman	
PA		Panama	
PE		Peru	
PF		French Polynesia	
PG		Papua New Guinea	
PH		Philippines	
PK		Pakistan	
PL		Poland	
PM		Saint Pierre and Miquelon	
PN		Pitcairn	
PR		Puerto Rico	
PS		Palestinian Territory, Occupied	
PT		Portugal	
PW		Palau	
PY		Paraguay	
QA		Qatar	
RE		Reunion	
RO		Romania	
RU		Russian Federation	
RW		Rwanda	
SA		Saudi Arabia	
SB		Solomon Islands	
SC		Seychelles	
SD		Sudan	
SE		Sweden	
SG		Singapore	
SH		Saint Helena	

Table A-5 (Cont.) Countries

ISO 3166 Code	Telephone Country Code	Description	Adjective
SI		Slovenia	
SJ		Svalbard and Jan Mayen	
SK		Slovakia	
SL		Sierra Leone	
SM		San Marino	
SN		Senegal	
SO		Somalia	
SR		Suriname	
ST		Sao Tome and Principe	
SV		El Salvador	
SY		Syrian Arab Republic	
SZ		Swaziland	
TC		Turks and Caicos Islands	
TD		Chad	
TF		French Southern Territories	
TG		Togo	
TH		Thailand	
TJ		Tajikistan	
TK		Tokelau	
TL		Timor-Leste	
TM		Turkmenistan	
TN		Tunisia	
TO		Tonga	
TR		Turkey	
TT		Trinidad and Tobago	
TV		Tuvalu	
TW		Taiwan, Province of China	
TZ		Tanzania, United Republic of	
UA		Ukraine	
UG		Uganda	
UM		United States Minor Outlying Islands	
US	1 Format 1 = +c aaa ddd dddd Format 2 = aaa ddd dddd Format 3 = ddd dddd	United States	
UY		Uruguay	
UZ		Uzbekistan	

Table A-5 (Cont.) Countries

ISO 3166 Code	Telephone Country Code	Description	Adjective
VA		Holy See (Vatican City State)	
VC		Saint Vincent and the Grenadines	
VE		Venezuela	
VG		Virgin Islands, British	
VI		Virgin Islands, U.S.	
VN	84	Viet Nam	Vietnamese
VU		Vanuatu	
WF		Wallis and Futuna	
WS		Samoa	
YE		Yemen	
YT		Mayotte	
ZA		South Africa	
ZM		Zambia	
ZW		Zimbabwe	

A.6 Document Formats

Various document formats provided with SysWorks™. These are described in the following sections.

A.7 Acrobat

Context

Display name: Acrobat
File Specification Types: PDF
Brief description: Acrobat

Description

A.8 Config

Context

Display name:	Config
File Specification Types:	CFG,CONF
Brief description:	Configuration file

Description

A.9 Email_OpenVMS

Context

Display name:	Email_OpenVMS
File Specification Types:	DIS
Brief description:	Email list for OpenVMS

Description

A.10 Email_UNIX

Context

Display name:	Email_UNIX
File Specification Types:	DIS
Brief description:	Email list for UNIX

Description

A.11 Envelope

Context

Display name:	Envelope
File Specification Types:	PCL,PS

Brief description: Envelope (DL)

Description

A.12 HTML

Context

Display name: HTML
File Specification Types: HTML,HTMLS,HTMLX,SHTML,SWHTML,XHTML
Brief description: Hypertext markup language

Description

A.13 Label

Context

Display name: Label
File Specification Types: PCL,PS
Brief description: Labels (7 by 2)

Description

A.14 MS_Excel

Context

Display name: MS_Excel
File Specification Types: XLS
Brief description: MS Excel

Description

A.15 MS_Word

Context

Display name:	MS_Word
File Specification Types:	DOC
Brief description:	MS Word

Description

A.16 Narrow

Context

Display name:	Narrow
File Specification Types:	LIS
Brief description:	Simple textual report - narrow

Description

A.17 Normal

Context

Display name:	Normal
File Specification Types:	LIS
Brief description:	Simple textual report

Description

A.18 OpenOffice_Calc

Context

Display name:	OpenOffice_Calc
File Specification Types:	SXC
Brief description:	OpenOffice Calc

Description

A.19 OpenOffice_Writer

Context

Display name:	OpenOffice_Writer
File Specification Types:	SXW
Brief description:	OpenOffice Writer

Description

A.20 SDML

Context

Display name:	SDML
File Specification Types:	SDML,SDML_INC
Brief description:	Standard Digital markup language

Description

A.21 SQL

Context

Display name: SQL
File Specification Types: SQL
Brief description: SQL

Description

A.22 Text

Context

Display name: Text
File Specification Types: TXT
Brief description: Text

Description

A.23 XML

Context

Display name: XML
File Specification Types: XML
Brief description: eXtended Markup Language

Description

A.24 Wide

Context

Display name: Wide
File Specification Types: LIS

Brief description: Simple textual report - wide

Description

A.25 Member Relationship Types

The member relationship types provided with SysWorks™ are listed in A-6.

Table A-6 Member Relationship Type

Code	Generic Allowed	Display	Description A	Description B
ADMINISTRATIVE_CONTACT	No	Administrative Contact	is the administrative contact for	has an administrative contact of
ALTERNATIVE_CONTACT	No	Alternative Contact	is an alternative contact for	has an alternative contact of
BILLING_CONTACT	No	Billing_ ontact	is the billing contact for	has a billing contact of
BUSINESS	No	Business	is a business of	has a business of
CEO	No	CEO	is the chief executive officer of	has a chief executive officer of
CHAIRMAN	No	Chairman	is the chairman of	has a chairman of
CHAIRPERSON	No	Chairperson	is the chairperson of	has a chairperson of
CHURCHWARDEN	No	Churchwarden	is a churchwarden of	has a churchwarden of
CO_PARENT	No	Co-Parent	is the co-parent of	is a child of
CUSTOMER	No	Customer	is a customer of	has a customer of
DIRECTOR	No	Director	is a director of	has a director of
EMPLOYEE	No	Employee	is an employee of	employs
FATHER	No	Father	is the father of	is a child of
GUARDIAN	No	Guadrian	is a guradian of	is a ward of

Table A-6 (Cont.) Member Relationship Type

Code	Generic Allowed	Display	Description A	Description B
HOUSEHOLD_MEMBER	No	Household Member	is a member of household	has a member of
MINUTE_SECRETARY	No	Minute Secretary	is the minute secretary of	has a minute secretary of
MOTHER	No	Mother	is the mother of	is a child of
PARENT	No	Parent	is a parent of	is a child of
PRESIDENT	No	President	is the president of	has a president of
PRIMARY_CONTACT	No	Primary Contact	is the primary contact for	has a primary contact of
PROPRIETOR	No	Proprietor	is the proprietor of	has a proprietor of
RECEPTIONIST	No	Receptionist	is a receptionist of	has a receptionist of
RECTOR	Yes	Rector	is the Rector of	has a Rector of
SECRETARY	Yes	Secretary	is the secretary of	has a secretary of
STEP_FATHER	No	Step-Father	is the step-father of	is a step-child of
STEP_MOTHER	No	Step-Mother	is the step-mother of	is a step-child of
SUPPLIER	No	Supplier	is a supplier of	has a supplier of
TECHNICAL_CONTACT	No	Technical Contact	is the technical contact for	has a technical contact of
TREASURER	Yes	Treasurer	is the treasurer of	has a treasurer of
TRUSTEE	Yes	Trustee	is a trustee of	has a trustee of
VESTRY_MEMBER	No	Vestry Member	is a vestry member of	has a vestry member of
VICAR	Yes	Vicar	is the Vicar of	has a Vicar of

Table A-6 (Cont.) Member Relationship Type

Code	Generic Allowed	Display	Description A	Description B
VICE_PRESIDENT	No	Vice President	is the vice president of	has a vice president of

A.26 Storage Areas

The storage areas provided with SysWorks™ are listed in A-7.

Table A-7 Storage Area

Code	Logical Name	File Specification	Description
ASCN	SWRK_SYSTEM_ASCN_FILE	SWRK_DAT_DIR:SWRK_SYSTEM_ASCN.DAT	System meta association file
CNTR	SWRK_SYSTEM_CNTR_FILE	SWRK_DAT_DIR:SWRK_SYSTEM_CNTR.DAT	System meta counter file
OBJT	SWRK_SYSTEM_OBJT_FILE	SWRK_DAT_DIR:SWRK_SYSTEM_OBJT.DAT	System meta object file

A.27 Thoroughfare Suffices

The thoroughfare suffices provided with SysWorks™ are listed in A-8.

Table A-8 Thoroughfare Suffices

Code	Display	Description
EAST	East	East
EXT	Ext	Extension
NORTH	North	North
NTH	Nth	North
SOUTH	South	South
STH	Sth	South
WEST	West	West

A.28 Thoroughfare Types

The thoroughfare types provided with SysWorks™ are listed in A-9.

Table A-9 Thoroughfare Types

Code	Display	Description
ACCESS	Access	Access
ALLEY	Alley	Alley
ALLEYWAY	Alleyway	Alleyway
AMBLE	Amble	Amble
ANCHORAGE	Anchorage	Anchorage
APPROACH	Approach	Approach
ARCADE	Arcade	Arcade
ARTERY	Artery	Artery
AVENUE	Avenue	Avenue
BANK	Bank	Bank
BASIN	Basin	Basin
BAY	Bay	Bay
BEACH	Beach	Beach
BEND	Bend	Bend
BLOCK	Block	Block
BOULEVARD	Boulevard	Boulevard
BRACE	Brace	Brace
BRAE	Brae	Brae
BREAK	Break	Break
BRIDGE	Bridge	Bridge
BROADWAY	Broadway	Broadway
BROW	Brow	Brow
BYPASS	Bypass	Bypass
BYWAY	Byway	Byway
CAUSEWAY	Causeway	Causeway
CENTRE	Centre	Centre
CENTREWAY	Centreway	Centreway
CHASE	Chase	Chase
CIRCLE	Circle	Circle
CIRCLET	Circlet	Circlet
CIRCUIT	Circuit	Circuit
CIRCUS	Circus	Circus
CLOSE	Close	Close
COLONNADE	Colonnade	Colonnade
COMMON	Common	Common
CONCOURSE	Concourse	Concourse

Table A-9 (Cont.) Thoroughfare Types

Code	Display	Description
COPSE	Copse	Copse
CORNER	Corner	Corner
CORSO	Corso	Corso
COURT	Court	Court
COURTYARD	Courtyard	Courtyard
COVE	Cove	Cove
CRESCENT	Crescent	Crescent
CREST	Crest	Crest
CROSS	Cross	Cross
CROSSING	Crossing	Crossing
CROSSROAD	Crossroad	Crossroad
CROSSWAY	Crossway	Crossway
CRUISEWAY	Cruiseway	Cruiseway
CUL-DE-SAC	Cul-de-sac	Cul-de-sac
CUTTING	Cutting	Cutting
DALE	Dale	Dale
DELL	Dell	Dell
DEVIATION	Deviation	Deviation
DIP	Dip	Dip
DISTRIBUTOR	Distributor	Distributor
DRIVE	Drive	Drive
DRIVEWAY	Driveway	Driveway
EDGE	Edge	Edge
ELBOW	Elbow	Elbow
END	End	End
ENTRANCE	Entrance	Entrance
ESPLANADE	Esplanade	Esplanade
EXPRESSWAY	Expressway	Expressway
EXTENSION	Extension	Extension
FAIRWAY	Fairway	Fairway
FIRETRACK	Firetrack	Firetrack
FIRETRAIL	Firetrail	Firetrail
FLAT	Flat	Flat
FOLLOW	Follow	Follow
FOOTWAY	Footway	Footway
FORESHORE	Foreshore	Foreshore
FORMATION	Formation	Formation
FREEWAY	Freeway	Freeway
FRONT	Front	Front

Table A-9 (Cont.) Thoroughfare Types

Code	Display	Description
FRONTAGE	Frontage	Frontage
GAP	Gap	Gap
GARDEN	Garden	Garden
GARDENS	Gardens	Gardens
GATE	Gate	Gate
GATES	Gates	Gates
GLADE	Glade	Glade
GLEN	Glen	Glen
GRANGE	Grange	Grange
GREEN	Green	Green
GROUND	Ground	Ground
GROVE	Grove	Grove
GULLY	Gully	Gully
HEIGHTS	Heights	Heights
HIGHROAD	Highroad	Highroad
HIGHWAY	Highway	Highway
HILL	Hill	Hill
INTERCHANGE	Interchange	Interchange
INTERSECTION	Intersection	Intersection
JUNCTION	Junction	Junction
KEY	Key	Key
LANE	Lane	Lane
LANEWAY	Laneway	Laneway
LEES	Lees	Lees
LINE	Line	Line
LINK	Link	Link
LITTLE	Little	Little
LOOKOUT	Lookout	Lookout
LOOP	Loop	Loop
LOWER	Lower	Lower
MALL	Mall	Mall
MEANDER	Meander	Meander
MEW	Mew	Mew
MEWS	Mews	Mews
MOTORWAY	Motorway	Motorway
MOUNT	Mount	Mount
NONE		
NOOK	Nook	Nook
NORTH	North	North

Table A-9 (Cont.) Thoroughfare Types

Code	Display	Description
OUTLOOK	Outlook	Outlook
PARADE	Parade	Parade
PARK	Park	Park
PARKLAND	Parkland	Parkland
PARKWAY	Parkway	Parkway
PART	Part	Part
PASS	Pass	Pass
PATH	Path	Path
PATHWAY	Pathway	Pathway
PIAZZA	Piazza	Piazza
PLACE	Place	Place
PLAZA	Plaza	Plaza
POCKET	Pocket	Pocket
POINT	Point	Point
PORT	Port	Port
PROMENADE	Promenade	Promenade
PURSUIT	Pursuit	Pursuit
QUAD	Quad	Quad
QUADRANGLE	Quadrangle	Quadrangle
QUADRANT	Quadrant	Quadrant
QUAY	Quay	Quay
QUAYS	Quays	Quays
RAMBLE	Ramble	Ramble
RAMP	Ramp	Ramp
RANGE	Range	Range
RESERVE	Reserve	Reserve
REST	Rest	Rest
RETREAT	Retreat	Retreat
RIDE	Ride	Ride
RIDGE	Ridge	Ridge
RIDGEWAY	Ridgeway	Ridgeway
RIGHT OF WAY	Right of way	Right of way
RING	Ring	Ring
RISE	Rise	Rise
RIVER	River	River
RIVERWAY	Riverway	Riverway
RIVIERA	Riviera	Riviera
ROAD	Road	Road
ROADS	Roads	Roads

Table A-9 (Cont.) Thoroughfare Types

Code	Display	Description
ROADSIDE	Roadside	Roadside
ROADWAY	Roadway	Roadway
RONDE	Ronde	Ronde
ROSEBOWL	Rosebowl	Rosebowl
ROTARY	Rotary	Rotary
ROUND	Round	Round
ROUTE	Route	Route
ROW	Row	Row
RUE	Rue	Rue
RUN	Run	Run
SIDING	Siding	Siding
SLOPE	Slope	Slope
SPUR	Spur	Spur
SQUARE	Square	Square
STAIRS	Stairs	Stairs
STATE HIGHWAY	State Highway	State Highway
STEPS	Steps	Steps
STRAND	Strand	Strand
STREET	Street	Street
STREETS	Streets	Streets
STRIP	Strip	Strip
SUBWAY	Subway	Subway
TARN	Tarn	Tarn
TERRACE	Terrace	Terrace
THOROUGHFARE	thoroughfare	Thoroughfare
TOLLWAY	Tollway	Tollway
TOP	Top	Top
TOR	Tor	Tor
TOWERS	Towers	Towers
TRACK	Track	Track
TRAIL	Trail	Trail
TRIANGLE	Triangle	Triangle
TRUNKWAY	Trunkway	Trunkway
TURN	Turn	Turn
UNDERPASS	Underpass	Underpass
UPPER	Upper	Upper
VALE	Vale	Vale
VIADUCT	Viaduct	Viaduct
VIEW	View	View

Table A-9 (Cont.) Thoroughfare Types

Code	Display	Description
VILLAS	Villas	Villas
VISTA	Vista	Vista
WADE	Wade	Wade
WALK	Walk	Walk
WALKWAY	Walkway	Walkway
WAY	Way	Way
WHARF	Wharf	Wharf
WYND	Wynd	Wynd
YARD	Yard	Yard

A.29 United States States and Territories

The United States states and territories provided with SysWorks™ are listed in A-10.

Table A-10 United States States and Territories

State or Territory	Description
AK	Alaska
AL	Alabama
AR	Arkansas
AS	American Samoa
AZ	Arizona
CA	California
CO	Colorado
CT	Connecticut
CZ	Canal Zone
DC	District of Columbia
DE	Delaware
FL	Florida
FM	Federated States of Micronesia
GA	Georgia
GU	Guam
HI	Hawaii
IA	Iowa
ID	Idaho
IL	Illinois
IN	Indiana
KS	Kansas
KY	Kentucky

Table A-10 (Cont.) United States States and Territories

State or Territory	Description
LA	Louisiana
MA	Massachusetts
MD	Maryland
ME	Maine
MI	Michigan
MN	Minnesota
MO	Missouri
MS	Mississippi
MT	Montana
NC	North Carolina
ND	North Dakota
NE	Nebraska
NH	New Hampshire
NJ	New Jersey
NM	New Mexico
NV	Nevada
NY	New York
OH	Ohio
OK	Oklahoma
OR	Oregon
PA	Pennsylvania
PR	Puerto Rico
RI	Rhode Island
SC	South Carolina
SD	South Dakota
TN	Tennessee
TX	Texas
UT	Utah
VA	Virginia
VI	Virgin Islands
VT	Vermont
WA	Washington
WI	Wisconsin
WV	West Virginia
WY	Wyoming

Index

A

Acrobat, A-9
Address Usage Types, A-1
Australian
 States and Territories, A-1

B

Business
 Relationship Types, A-2

C

Canadian
 Provinces and Territories, A-2
Config, A-9
Countries, A-2

D

Document formats
 Acrobat, A-9
 Config, A-9
 Email_OpenVMS, A-10
 Email_UNIX, A-10
 Envelope, A-10
 HTML, A-11
 Label, A-11
 MS_Excel, A-11
 MS_Word, A-12
 Narrow, A-12
 Normal, A-12
 OpenOffice_Calc, A-13
 OpenOffice_Writer, A-13
 SDML, A-13
 SQL, A-13
 Text, A-14
 Wide, A-14
 XML, A-14
Document Formats, A-9

E

Email_OpenVMS, A-10
Email_UNIX, A-10
Envelope, A-10

H

HTML, A-11

L

Label, A-11

M

Member
 Relationship Types, A-15
MS_Excel, A-11
MS_Word, A-12

N

Narrow, A-12
Normal, A-12

O

OpenOffice_Calc, A-13
OpenOffice_Writer, A-13

S

SDML, A-13
SQL, A-13
Storage Areas, A-17

T

Text, A-14
Thoroughfare
 Suffices, A-17
Thoroughfare Types, A-18

U

United States

States and Territories, A-23

W

Wide, A-14

X

XML, A-14