

# SysWorks V3.5

---

## Installation Guide

Order Number SWRK-IG-35

**August 2009**

This document describes the installation activities for SysWorks V3.5.

**Revision/Update Information:** This manual supercedes the SysWorks V3.4-1 Installation Guide

**Operating System and Version:** OpenVMS VAX V7.2 or higher;  
OpenVMS Alpha V7.2 or higher;  
DECwindows/Motif V1.2-3 or higher

**Software Version:** SysWorks V3.5

---

© Corpita Pty Ltd 1987 - 2009.

All Rights Reserved.

Printed in Australia

The following are trademarks of Compaq Computer Corporation: ACMS, ALL-IN-1, AXP, BASIC, Bookreader, CDA, CI, DATATRIEVE, DBMS, DDIF, DEC, DEC ACCESSWORKS, DEC Ada, DEC C, DEC Fortran, DEC Pascal, DECdecision, DECdesign, DECdirect, DECdns, DECdocument, DECdtm, DECforms, DECimage, DECintact, DECmigrate, DECnet, DECnet/OSI, DECset, DECsupport, DECTp, DECwindows, Digital, DTIF, EDT, HSC, MASSBUS, MicroVAX, MicroVAX II, MSCP, OpenVMS, OpenVMS Cluster, RA, StorageWorks, TA, TMSCP, TURBOchannel, ULTRIX, VAX, VAX C, VAX MACRO, VAX-11/780, VAXcluster, VAXELN, VAXft, VAXstation, VIDA, VMS, VMScluster, VT100, and the DIGITAL logo.

PostScript is a registered trademark of Adobe Systems Inc.

Motif is a registered trademark of Open Software Foundation, Inc.

Oracle is a registered trademark, and Oracle CDD/Repository, Oracle CODASYL DBMS, Oracle Expert, Oracle Rally, Oracle Rdb, Oracle Trace and Rdb7 are trademarks of Oracle Corporation.

OSI is a registered trademark of CA Management, Inc

All other trademarks and registered trademarks are the property of their respective holders.

This document was prepared using DECdocument V3.3.

---

# Contents

<b>Send Us Your Comments</b> .....	v
<b>Preface</b> .....	vii
<b>1 Overview</b>	
1.1 Licenses .....	1-1
1.1.1 SysWorks Base .....	1-1
1.1.2 SysWorks Administrator .....	1-1
1.1.3 SysWorks Database Tools .....	1-1
1.1.4 SysWorks Developer .....	1-2
1.1.5 SysWorks Documentation .....	1-2
1.1.6 SysWorks Example Application .....	1-2
1.1.7 SysWorks Public Domain Utilities .....	1-2
1.2 Installation Level .....	1-2
1.2.1 Public .....	1-2
1.2.2 System .....	1-2
1.2.3 Turnkey .....	1-2
1.3 Installation Mode .....	1-3
<b>2 Preparation</b>	
2.1 Prerequisites .....	2-1
2.2 Licenses .....	2-1
2.3 Disk Space .....	2-1
2.4 Identifiers .....	2-1
2.5 Directories .....	2-1
2.6 Building a New System Disk .....	2-2
<b>3 Installation</b>	
<b>4 Post Installation</b>	
4.1 Remaining Actions .....	4-1
4.2 Startup Procedures .....	4-1
4.3 Login Procedures .....	4-1

## **A Example Installations**

A.1	Public .....	A-1
A.2	System .....	A-2
A.3	Turnkey .....	A-2

## **B Directories and Files Created**

B.1	Directories Created .....	B-1
B.1.1	Public Non-System Disk Installation .....	B-1
B.1.2	Public System Disk or System or Turnkey Installation .....	B-1
B.2	Files Created .....	B-1

---

## Send Us Your Comments

We welcome your comments on this manual or any SysWorks manual. If you have suggestions for improvements or find any errors, please indicate the chapter, section and page number (if available). Your input is valuable in improving future releases of our documentation.

You can send comments to us in the following ways:

- **Email**—<http://www.sysworks.com.au/contact.php>
- **Phone**—+61 (03) 9411 4411
- **FAX** —+61 (03) 9411 4499
- **Postal service**

SysWorks  
Corpita Pty Ltd  
15 Bedford Street  
Collingwood VIC 3066  
Australia



---

## Preface

This manual describes the activities required before, during and immediately after the installation of SysWorks.

### Intended Audience

This manual is intended for use by personnel installing SysWorks.

### Conventions

The following conventions are used in this document:

Conventions	Description
<code>Ctrl/X</code>	A sequence such as <code>Ctrl/X</code> indicates that you must hold down the key labeled <code>Ctrl</code> while you press another key or a pointing device button.
<code>[]</code>	In format descriptions, brackets indicate that whatever is enclosed is optional; you can select none, one or all of the choices.  In system prompts indicates the default value which will be assumed if the Return key is pressed without first entering a value.
<code>{}</code>	In format descriptions, braces surround a required choice of options; you must choose one of the options listed.
<code> </code>	In format descriptions, vertical bars separate the options. If the options are enclosed in brackets (i.e. <code>[]</code> ) you can select none, one or all of the choices. If the options are enclosed in braces (i.e. <code>{}</code> ) you must choose one of the options listed.
<code>()</code>	In system prompts, parenthesis indicate the list of values one of which may be entered. The values are separated by a forward slash "/"
<code>...</code>	An elipsis indicates that a value within a range may be chosen or a syntax repeated. A range may be indicated by a pair of end values, or an end value and an end keyword. For example <code>Disk quota (0..unlimited)</code> indicates that the keyword <code>unlimited</code> may be used to represent the highest possible disk quota.
<i>italic text</i>	Italicized words and letters indicate that you should substitute a word or value of your choice.
UPPERCASE TEXT	Uppercase letters indicate the name of a command or routine.
<code>monospace text</code>	Normal monospace text indicates system prompts and output.
<b><code>bold monospace text</code></b>	Bold monospace text indicates user responses to system prompts.
<b><i><code>bold monospace italic text</code></i></b>	Bold monospace italic text indicates user responses to system prompts which need appropriate value substitution.

---

<b>Conventions</b>	<b>Description</b>
mouse	The term <i>mouse</i> is used to refer to any pointing device such as a mouse, a puck or a stylus.
MB1, MB2, MB3	MB1 indicates the left mouse button, MB2 indicates the middle mouse button, and MB3 indicates the right mouse button. (The buttons can be redefined by the user.)

---

Unless otherwise noted, all numeric values are represented in decimal notation.

This chapter provides an overview to the installation concepts for SysWorks V3.5.

## **1.1 Licenses**

SysWorks is provided as a set of complimentary products. These are:

- SysWorks Base
- SysWorks Administrator
- SysWorks Database Tools
- SysWorks Developer
- SysWorks Documentation
- SysWorks Example Application
- SysWorks Public Domain Utilities

### **1.1.1 SysWorks Base**

This runtime product provides a comprehensive runtime library and supports the various SysWorks extensions to DECwindows. All other SysWorks products use the SysWorks Base product.

### **1.1.2 SysWorks Administrator**

This product is designed to assist system and network administrators and managers perform their OpenVMS activities. See the SysWorks Administrator Software Product Description (SPD) for more details.

When installed at the turnkey level, this product is designed to provide a turnkey OpenVMS system base. It provides a model from which users, developers, and system and network administrators and managers may perform their activities with minimal direct OpenVMS interaction. See the SysWorks Administrator Software Product Description (SPD) for more details.

### **1.1.3 SysWorks Database Tools**

### 1.1.4 SysWorks Developer

This product is designed to assist in the development of well built applications. It provides a set of tools and enhancements to Digital products which help achieve this aim. See the SysWorks Developer Software Product Description (SPD) for more details. If the SysWorks Administrator product is not also installed, site specific procedures are required to bind developers to SysWorks Developer.

### 1.1.5 SysWorks Documentation

### 1.1.6 SysWorks Example Application

### 1.1.7 SysWorks Public Domain Utilities

## 1.2 Installation Level

SysWorks supports three installation levels. These are:

- Public
- System
- Turnkey

### 1.2.1 Public

The SysWorks software is installed in the system common area. The SWRK\_STARTUP.COM procedure is placed in the SYS\$STARTUP area, and should be invoked in the system startup procedures. System wide logicals are defined, and images are installed as shareable. The only image installed with privileges is the SWRK\_LNT\_INTERFACE.EXE image so that user logical name tables may be created when required at login time. Each developer still needs to execute the SysWorks SYLOGIN.COM procedure in their LOGIN.COM procedures. A site login or startup procedure is also required to supply logical names such as disk roots which would be supplied by SysWorks if it was installed as a higher level.

### 1.2.2 System

The SysWorks software is installed as for the public level. Additionally, a privileged VMS username is registered to act as a network server. The SWRK\_STARTUP.COM procedure installs more images with privileges in order to assist the network server. This is the minimum installation level at which the SysWorks Administrator license will function. Each user still needs to execute the SysWorks SYLOGIN.COM in their LOGIN.COM procedure. Alternatively, the system wide SYLOGIN.COM procedure in the SYS\$MANAGER area may invoke the SysWorks procedure.

### 1.2.3 Turnkey

The SysWorks software is installed as for the system level. Additionally the various system startup procedures in the SYS\$MANAGER area such as SYCONFIG.COM, SYLOGIN.COM etc are replaced. This is the minimum installation level required for the SysWorks Turnkey license. Essentially SysWorks Turnkey will take over management of the OpenVMS system.

## 1.3 Installation Mode

There are two installation modes available with SysWorks Administrator and SysWorks Turnkey. These are local and network. This guide only discusses a local installation, since network installations are automated by SysWorks cluster management functions.



This chapter discusses resources that need to be checked and actions that need to be taken prior to commencing a SysWorks installation.

## 2.1 Prerequisites

SysWorks V3.5 requires OpenVMS Alpha or VAX, V7.2 and will not install on a lower version of OpenVMS. The installation requires that DECnet is running.

If SysWorks Administrator or SysWorks Turnkey are being installed, the computer node on which the installation is being performed must be either a standalone computer node or the only computer node in a cluster i.e. all other computer nodes in the cluster must be shutdown. If the computer node is a member of a cluster, the DECnet cluster alias name for the computer nodes executor must be set to the cluster alias name, otherwise SysWorks will consider the computer node to be a standalone computer node. This can be checked with the command:

```
$ MCR NCP SHOW EXECUTOR
```

## 2.2 Licenses

At this time SysWorks does not use the Digital License Management Facility. When installing the products, the license type needs to be nominated.

## 2.3 Disk Space

SysWorks needs approximately 30,000 blocks on the target during and after installation. If the SysWorks Administrator or Turnkey products are being installed and network installations are required in the future, a further 30,000 blocks are required to store the installation save sets. If the installation level is system or above, this space must be on the system disk.

## 2.4 Identifiers

The installation always creates or uses an R\_SWRK\_PROD identifier as the owner of the created directories and files. If the installation level is turnkey, an R\_SWRK\_HISTORY identifier is created or used to own the system history files.

## 2.5 Directories

The installation creates a root directories on the nominated installation disk. This is named [PROD\_2].

If the installation level is public and the target disk chosen is not the system disk, the [SWRK] directory is created in this root directory.

If the installation level is public and the target disk is the system disk or the installation level is system or turnkey, the [PROD\_2] directory is created in the root of the system disk and the [SWRK] directory in the SYS\$COMMON area. The [SWRK] directory is then entered as an alias into the [PROD\_2] directory so that the directory [PROD\_2.SWRK] is valid. Various directories are then created in the [SWRK] root directory.

If the installation level is system or turnkey, a [SWRKSrvr] directory is created in the SYS\$SPECIFIC area to act as a default directory for the network server OpenVMS username. When other computer nodes are defined in SysWorks Administrator, this directory is created in their SYS\$SPECIFIC areas.

## 2.6 Building a New System Disk

This section describes the steps required to successfully build a new system disk with SysWorks products installed. The steps indicated will work for a turnkey installation.

The steps required are:

- 1 Install OpenVMS.

OpenVMS is installed as per the appropriate upgrade and installation manual.

- 2 Install DECnet Plus or DECnet Phase IV.

DECnet is installed as per the appropriate upgrade and installation manual.

- 3 Configure DECnet.

DECnet is configured by executing NET\$CONFIGURE.COM or NETCONFIG.COM.

- 4 Configure VMScluster.

A VMScluster is configured by running CLUSTER\_CONFIG.COM. This step is required at this point in order for subsequent steps to see the existing cluster. If a new cluster is being created, this step can be left until later. If the computer node is not part of a cluster, this step can be omitted.

- 5 Install SysWorks Base and Administrator.

See the Chapter 3 chapter for details. The SysWorks Documentation and SysWorks Public Domain Utilities may also be installed at this time. The SysWorks Database Tools, SysWorks Developer and SysWorks Example Application must not be installed yet.

- 6 Check for System Files.

Part of the reason for configuring the cluster and installing some SysWorks components is to ensure that the appropriate system files are being used. The file SYLOGICALS.TEMPLATE contains a list of system file logicals which should now point to the correct locations.

For non-turnkey installations, it is the responsibility of the installer to ensure that the system file logical names are correctly defined at this point.

- 7 Install TCP/IP.

The appropriate TCP/IP product should now be installed as per the relevant manual.

- 8 Install Motif.

Install Motif using the appropriate PRODUCT INSTALL command.

9 Install DECset.

DECset must be installed before Oracle Rdb in order for the SQL language to be defined. It must be installed for SysWorks Developer to be installed.

10 Install Oracle Rdb.

Oracle Rdb must be installed for SysWorks Database Tools to be installed.

11 Install Oracle CDD/Repository.

12 Reinstall SysWorks Base and SysWorks Administrator and install SysWorks Database Tools, SysWorks Developer and SysWorks Example Application.

These SysWorks components must now be reinstalled or installed. If the SysWorks Documentation or and SysWorks Public Domain Utilities were not previously installed, they may be installed at this time.

13 Install remaining products.

All remaining products can now be installed in the order preferred by the installer.



This chapter describes the installation procedure in detail. An assumption is made that the installer has basic familiarity with the VMSINSTAL utility.

The steps are as follows:

- 1 Login to the SYSTEM account and enter:

```
$ @SYS$UPDATE:VMSINSTAL SWRK035 save-set-location [OPTIONS ...]
```

This is the standard OpenVMS method for installing products. Alternatively, answer the initial VMSINSTAL questions with the answers indicated above in the command line example.

- 2 Answer the initial VMSINSTAL questions as appropriate.
- 3 If asked for a product name (eg. when the command line method was not used), enter:

```
SWRK035
```

which is the product code for SysWorks V3.5.

- 4 To the question:

```
* Enter your SysWorks license type:
```

enter the license type, which is one of the following:

- WORKSTATION
- ADMINISTRATOR
- DEVELOPER
- TURNKEY Abbreviations are allowed.

- 5 To the question:

```
* Enter your SysWorks installation level:
```

enter the installation level, which is one of the following:

- PUBLIC
- SYSTEM (Only valid with an ADMINISTRATOR or TURNKEY license)
- TURNKEY (Only valid with a TURNKEY license)

- 6 If you are installing SysWorks at the public level, to the question:

```
* Enter your target device name [SYS$SYSDEVICE]:
```

either press return to install SysWorks on the system disk or enter the target non-system disk.

7 To the question:

\* Enter your site code:

enter the customer code. This should be between 2 and 6 alphabetic characters and is used as the prefix for the various site specific command procedures that will be used when present in the SysWorks local directory (i.e. SWRK\_LCL\_DIR:). This parameter is forced to uppercase.

8 To the question:

\* Enter your site heading:

enter the customer heading. This heading will appear at the top of the various SysWorks menus and windows. This parameter may be in mixed case.

9 To the question:

\* Enter your default printer:

enter the queue name of the default printer for the installation cluster.

10 If you are installing SysWorks at the public level, to the question:

\* Utility logicals scope:

enter the scope for defining the utility logical names such as EDTINI. This scope is one of following:

- SYSTEM - define the utility logical names in the system logical name table at system startup.
- USER - define the utility logical names in the user's logical name table at first login after a system startup.

This chapter discusses the actions needed after a successful installation has been completed.

## 4.1 Remaining Actions

If SysWorks was previously installed and is now being upgraded at the public level and a new installation disk was specified, any site specific files in the SWRK\_LCL\_DIR directory will need to be copied from the previous installation disk to the current one.

This can be achieved using a command such as:

```
$ copy old-dev:[prod_2.swrk.lcl]*.* -  
_ $ new-dev:[prod_2.swrk.lcl]
```

## 4.2 Startup Procedures

If the products are installed at the public or system level, the SysWorks startup procedure SWRK\_STARTUP.COM needs to be placed in a startup procedure such as SYSTARTUP\_V5.COM or the startup database preferably in the LPMAIN phase. Note that unlike previous versions of SysWorks, if SysWorks is installed at or below the public level and the target disk was not the system disk, SysWorks remembers the target disk by saving the information in the file:

```
SYS$SPECIFIC:[SYS$STARTUP]SWRK_STARTUP_LOCAL.COM
```

Site specific code will still be needed in either the system startup procedures or the system or user login procedures. See the System Management chapter in the SysWorks Reference Manual for more details.

Please also see the SysWorks V3.5 Release Notes for changes in the use of SWRK\_ENVR\_enuv logical names which will usually require a change to the following command procedure:

```
SWRK_LCL_DIR:site_PRE_STARTUP.COM
```

## 4.3 Login Procedures

If the products are installed at or below the system level, the SysWorks login procedure SYLOGIN.COM needs to be executed from the system SYLOGIN.COM procedure or the users and/or developers LOGIN.COM procedures. If the SysWorks Developer product is installed at or below the public level, site specific code will be needed in either the system startup procedures or the system or user login procedures. See the System Management chapter in the SysWorks Reference Manual for more details.



---

## Example Installations

### A.1 Public

Username: **SYSTEM**  
Password:

Welcome to OpenVMS AXP V8.3 on node MELA01

Last interactive login on Thursday, 24-SEP-1992 22:26

Last non-interactive login on Sunday, 27-SEP-1992 12:00

```
$ SET DEFAULT SYS$UPDATE
$ @VMSINSTAL SWRK035 MKA500:
```

OpenVMS AXP Software Product Installation Procedure V8.3

It is 1-FEB-2007 at 19:34.

Enter a question mark (?) at any time for help.

The following products will be processed:

SWRK V3.5

Beginning installation of SWRK V3.5 at 19:34

%VMSINSTAL-I-RESTORE, Restoring product save set A ...

%VMSINSTAL-I-REMOVED, Product's release notes have been moved to SYS\$HELP.

\* Enter your SysWorks license level: **DEVELOPER**

```
Product:      SYSWORKS-DEVELOPER
Producer:     SWRK
Version:      3.5
Release Date: 01-AUG-2009
```

\* Does this product have an authorization key registered and loaded? **YES**

\* Do you want to run the IVP after the installation [YES]?

\* Do you want to purge files replaced by this installation [YES]?

\* Enter your SysWorks installation level: **PUBLIC**

```

* Enter your target disk device name [SYS$SYSDEVICE:]: $1$DIA4:
%CREATE-I-CREATED, _$1$DIA4:[PROD_2] created
%CREATE-I-CREATED, _$1$DIA4:[PROD_2.SWRK] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.CDD] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.DAT] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.DAT.APPL] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.DAT.NEVER] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.DAT.PROD] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.DOC] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.JNL] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.KIT] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.LCL] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.RUN] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.SCR] created
%CREATE-I-CREATED, DISK_PROD2:[SWRK.SFT] created

* Enter your site code: SWT

* Enter your site heading: SysWorks

* Enter your default printer: PRINTER

* Utility logicals scope: USER
%SWRK-I-CONTINUE, All questions have now been asked.
-SWRK-I-CONTINUE, The installation should continue for between 30 minutes and 2 hours.
%VMSINSTAL-I-RESTORE, Restoring product save set B ...
%VMSINSTAL-I-RESTORE, Restoring product save set C ...
%VMSINSTAL-I-RESTORE, Restoring product save set D ...
%VMSINSTAL-I-MOVEFILES, Files will now be moved to their target directories...
%SWRK-I-POST_INSTALL, Starting post-installation activities
%SWRK-I-INSMSG, Computer node cluster alias is MELA
%SWRK-I-INSPT1, Starting SysWorks installation part 1
%CREATE-I-CREATED, SWRK_DAT_ROOT:[DEVELOPER] created
%CREATE-I-CREATED, SWRK_DAT_ROOT:[USER] created
%CREATE-I-CREATED, SWRK_DAT_ROOT:[ALLIN1] created
%CREATE-I-CREATED, SWRK_DAT_ROOT:[CAPTIVE] created
%CREATE-I-CREATED, SWRK_DAT_ROOT:[ALL] created
%CREATE-I-CREATED, SWRK_DAT_ROOT:[PRINTER_CONTROLLER] created
%CREATE-I-CREATED, SWRK_DAT_ROOT:[SYSTEM_MANAGER] created
%CREATE-I-CREATED, SWRK_DAT_ROOT:[VAX_4XXX.USER] created
%SWRK-I-STAMSG, Starting SysWorks...
%SWRK-I-STAMSG, Defining startup logicals
%SWRK-I-CRESBCFIL, Creating SWRK_STARTUP_LOGICALS_MELA01.sbc
%SWRK-I-NODFLPTR, No default printer
%SWRK-I-STAMSG, Installing non-layered product known files
%SWRK-I-CRESBCFIL, Creating SWRK_STARTUP_KNOWN_FILES_MELA01.sbc

      Installation of SWRK V3.5 completed at 21:09

VMSINSTAL procedure done at 21:09

$ LOGOUT
SYSTEM          logged out at 01-AUG-2009 21:36:03.11

```

## A.2 System

## A.3 Turnkey

```

Username: SYSTEM
Password:

```

```

Welcome to OpenVMS AXP V8.3 on node MELA01

```

```

Last interactive login on Thursday, 24-SEP-1992 22:26

```

```

Last non-interactive login on Sunday, 27-SEP-1992 12:00

```

```

$ SET DEFAULT SYS$UPDATE

```

```

$ @VMSINSTAL SWRK035 MKA500:

```

## A-2 Example Installations

OpenVMS AXP Software Product Installation Procedure V8.3

It is 1-FEB-2007 at 19:41.

Enter a question mark (?) at any time for help.

The following products will be processed:

SWRK V3.5

Beginning installation of SWRK V3.5 at 19:41

%VMSINSTAL-I-RESTORE, Restoring product save set A ...

%VMSINSTAL-I-REMOVED, Product's release notes have been moved to SYS\$HELP.

\* Enter your SysWorks license level [TURNKEY]:

Product:      SYSWORKS-TURNKEY  
Producer:     SWRK  
Version:       3.5  
Release Date:  06-AUG-2009

\* Does this product have an authorization key registered and loaded?**yes**

\* Do you want to run the IVP after the installation [YES]?

\* Do you want to purge files replaced by this installation [YES]?

\* Do you wish to install the examples and public domain utilities [YES]?

\* Enter your site code [SWK]:

\* Enter your site heading [SysWorks]:

\* Enter your default account [SWTECH]:

\* Enter your default location [UNKNOWN]:

\* Enter your default password lifetime [180-0]:

\* Enter your minimum password length [6]:

\* Enter your maximum password length [8]:

\* Enter your default printer [PRINTER]:

\* Enter your default tape pool [BACKUP]:

\* Create default development environments [YES]?

%SWRK-I-CONTINUE, All questions have now been asked.

-SWRK-I-CONTINUE, The installation should continue for between 30 minutes and 2 hours.

%VMSINSTAL-I-RESTORE, Restoring product save set B ...

%VMSINSTAL-I-RESTORE, Restoring product save set C ...

%VMSINSTAL-I-RESTORE, Restoring product save set D ...

%VMSINSTAL-I-RESTORE, Restoring product save set E ...

%VMSINSTAL-I-MOVEFILES, Files will now be moved to their target directories...

%SWRK-I-POST\_INSTALL, Starting post-installation activities

%DCL-S-SPAWNED, process SYSTEM\_1 spawned

%DCL-S-ATTACHED, terminal now attached to process SYSTEM\_1

OpenVMS AXP Software Product Installation Procedure V7.2

It is 1-FEB-2007 at 19:59.

Enter a question mark (?) at any time for help.

The following products will be processed:

SWPUB V3.5

Beginning installation of SWPUB V3.5 at 19:59

```
%VMSINSTAL-I-RESTORE, Restoring product save set A ...
%VMSINSTAL-I-REMOVED, Product's release notes have been moved to SYS$HELP.
* Do you want to purge files replaced by this installation [YES]?
%SWPUB-I-CONTINUE, All questions have now been asked.
-SWPUB-I-CONTINUE, The installation should continue for about 10 minutes.
%VMSINSTAL-I-RESTORE, Restoring product save set B ...
%VMSINSTAL-I-MOVEFILES, Files will now be moved to their target directories...
```

Installation of SWPUB V3.5 completed at 20:00

VMSINSTAL procedure done at 20:00

```
%DCL-S-RETURNED, control returned to process MELA01-SYSTEM
%SWRK-I-INSMSG, Computer node cluster alias is MELA
%SWRK-I-INSRPT1, Starting SysWorks installation part 1
%MOUNT-I-MOUNTED, SYS_A mounted on _MELA01$DKA0:
%MOUNT-I-MOUNTED, USER mounted on _MELA01$DKA100:
%MOUNT-I-MOUNTED, VAXBINJAN954 mounted on _MELA01$DKB300:
%DELETE-I-
FILDEL, MELA01$DKA0:[SYS0.SYSCOMMON.][SYSMGR]SYSTARTUP_V5.COM;1 deleted (3 blocks)
%UAF-I-MDFYMSG, user record(s) updated
%SEARCH-I-NOMATCHES, no strings matched
%DELETE-I-
FILDEL, SYS$COMMON:[SWRK.DAT]SWRK_STARTUP_DISKS_MELA01.SBC;1 deleted (24 blocks)
%MOUNT-I-MOUNTED, SYS_A mounted on _MELA01$DKA0:
%MOUNT-I-MOUNTED, USER mounted on _MELA01$DKA100:
%MOUNT-I-MOUNTED, VAXBINJAN954 mounted on _MELA01$DKB300:
%MOUNT-I-MOUNTED, VAXDOCJAN951 mounted on _MELA01$DKB0:
%MOUNT-I-MOUNTED, VAXDOCJAN952 mounted on _MELA01$DKB100:
%MOUNT-I-MOUNTED, VAXDOCJAN953 mounted on _MELA01$DKB200:
%DELETE-I-
FILDEL, SYS$COMMON:[SWRK.DAT]SWRK_STARTUP_LOGICALS_MELA01.SBC;1 deleted (30 blocks)
%UAF-I-MDFYMSG, user record(s) updated
%UAF-I-MDFYMSG, user record(s) updated
%DELETE-I-
FILDEL, SYS$COMMON:[SWRK.DAT]SWRK_STARTUP_DISKS_MELA01.SBC;1 deleted (24 blocks)
%MOUNT-I-MOUNTED, SYS_A mounted on _MELA01$DKA0:
%MOUNT-I-MOUNTED, USER mounted on _MELA01$DKA100:
%MOUNT-I-MOUNTED, VAXBINJAN954 mounted on _MELA01$DKB300:
%MOUNT-I-MOUNTED, VAXDOCJAN951 mounted on _MELA01$DKB0:
%MOUNT-I-MOUNTED, VAXDOCJAN952 mounted on _MELA01$DKB100:
%MOUNT-I-MOUNTED, VAXDOCJAN953 mounted on _MELA01$DKB200:
%SWRK-I-STAMSG, Starting SysWorks...
%SWRK-I-STAMSG, Defining startup logicals
%SWRK-I-CRESBCFIL, Creating SWRK_STARTUP_LOGICALS_MELA01.SBC
%SWRK-I-WAITINF, Waiting for system meta object file...
%SWRK-I-NODFLTPTR, No default printer
%SWRK-I-DEFTOOLLNM, Defining SWRK tools logicals
%SWRK-I-STAMSG, Installing non-layered product known files
%SWRK-I-CRESBCFIL, Creating SWRK_STARTUP_KNOWN_FILES_MELA01.SBC
%SWRK-I-STAMSG, Executing SysWorks site specific SWRK_POST_STARTUP.COM procedure
```

Installation of SWRK V3.5 completed at 20:27

VMSINSTAL procedure done at 20:27

```
$ LOGOUT
SYSTEM          logged out at 01-AUG-2009 21:36:03.11
```

---

## Directories and Files Created

This appendix list the various directories and files created by a SysWorks installation.

### B.1 Directories Created

#### B.1.1 Public Non-System Disk Installation

```
dev:[PROD_2]
DISK_PROD2:[SWRK]
DISK_PROD2:[SWRK.CDD]
DISK_PROD2:[SWRK.DAT.NEVER]
DISK_PROD2:[SWRK.DAT.PROD]
DISK_PROD2:[SWRK.DAT]
DISK_PROD2:[SWRK.DOC]
DISK_PROD2:[SWRK.JNL]
DISK_PROD2:[SWRK.KIT]
DISK_PROD2:[SWRK.LCL]
DISK_PROD2:[SWRK.RUN]
DISK_PROD2:[SWRK.SCR]
DISK_PROD2:[SWRK.SFT]
```

#### B.1.2 Public System Disk or System or Turnkey Installation

```
SYS$SYSDEVICE:[PROD_2]
SYS$COMMON:[SWRK]
SYS$COMMON:[SWRK.CDD]
SYS$COMMON:[SWRK.DAT.NEVER]
SYS$COMMON:[SWRK.DAT.PROD]
SYS$COMMON:[SWRK.DAT]
SYS$COMMON:[SWRK.DOC]
SYS$COMMON:[SWRK.JNL]
SYS$COMMON:[SWRK.KIT]
SYS$COMMON:[SWRK.LCL]
SYS$COMMON:[SWRK.RUN]
SYS$COMMON:[SWRK.SCR]
SYS$COMMON:[SWRK.SFT]
SYS$COMMON:[SWRK.TST]
SYS$SPECIFIC:[SWRK]
SYS$SPECIFIC:[SWRK.RUN]
```

### B.2 Files Created

```
[SWRK.DAT]SWRK_NETWORK_OBJT.DAT
[SWRK.DAT]SWRK_SECURITY_BASE_SYSTEM_OBJT.DAT
[SWRK.DAT]SWRK_SYSTEM_HISTORY.DAT
[SWRK.DAT]SWRK_SYSTEM_OBJT.DAT
```

[SWADM.SFT]BOOT.COM  
 [SWADM.SFT]DIRECTORIES.COM  
 [SWADM.SFT]ENTER.COM  
 [SWADM.SFT]EXIT.COM  
 [SWADM.SFT]GRANT.COM  
 [SWADM.SFT]LOGICALS.COM  
 [SWADM.SFT]LPS\$HOLEBORD.LUP  
 [SWADM.SFT]LPS\$NORMAL.LUP  
 [SWADM.SFT]LPS\$NORMBORD.LUP  
 [SWADM.SFT]RECOVER.COM  
 [SWADM.SFT]REVOKE.COM  
 [SWADM.SFT]SECURE.COM  
 [SWADM.SFT]SHUTDOWN.COM  
 [SWADM.SFT]SWADMSHR.EXE  
 [SWADM.SFT]SWADM\_ACCOUNT\_ID\_FORMAT\_MENU.COM  
 [SWADM.SFT]SWADM\_ADDRESS\_MENU.COM  
 [SWADM.SFT]SWADM\_ADDR\_BUILDING\_MENU.COM  
 [SWADM.SFT]SWADM\_ADDR\_CORNER\_INST\_MENU.COM  
 [SWADM.SFT]SWADM\_ADDR\_PROP\_INSTANCE\_MENU.COM  
 [SWADM.SFT]SWADM\_ADDR\_SUBPROP\_INST\_MENU.COM  
 [SWADM.SFT]SWADM\_ADDR\_SUBPROP\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_ADDR\_USAGE\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_APPCLSMNT\_MENU.COM  
 [SWADM.SFT]SWADM\_APPENVMGR\_MENU.COM  
 [SWADM.SFT]SWADM\_APPLICATION\_MENU.COM  
 [SWADM.SFT]SWADM\_APPL\_VRSN\_MENU.COM  
 [SWADM.SFT]SWADM\_APPMGR\_MENU.COM  
 [SWADM.SFT]SWADM\_APPMNU\_MENU.COM  
 [SWADM.SFT]SWADM\_APPREG\_MENU.COM  
 [SWADM.SFT]SWADM\_ARCHITECTURE\_MENU.COM  
 [SWADM.SFT]SWADM\_BILLING\_MENU.COM  
 [SWADM.SFT]SWADM\_BILLING\_MODEL\_MENU.COM  
 [SWADM.SFT]SWADM\_BTQCTL\_MENU.COM  
 [SWADM.SFT]SWADM\_BTQMNT\_MENU.COM  
 [SWADM.SFT]SWADM\_BUSINESS\_MENU.COM  
 [SWADM.SFT]SWADM\_BUSINESS\_RELN\_MENU.COM  
 [SWADM.SFT]SWADM\_BUSINESS\_RELN\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_CALENDAR\_DAY\_MENU.COM  
 [SWADM.SFT]SWADM\_CHANGE\_APPL\_ENVR\_COMP\_NODE\_STATE.COM  
 [SWADM.SFT]SWADM\_CHANGE\_AVAILABILITY.COM  
 [SWADM.SFT]SWADM\_CHANGE\_GROUP\_COMP\_NODE\_STATE.COM  
 [SWADM.SFT]SWADM\_CHARGING\_CLASS\_MENU.COM  
 [SWADM.SFT]SWADM\_CHARGING\_ITEM\_MENU.COM  
 [SWADM.SFT]SWADM\_CHARGING\_ITEM\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_CHARGING\_MENU.COM  
 [SWADM.SFT]SWADM\_CHARGING\_MODEL\_MENU.COM  
 [SWADM.SFT]SWADM\_CHARGING\_RATES\_MENU.COM  
 [SWADM.SFT]SWADM\_CHECK\_INTERACTIVE\_PROCESSES.COM  
 [SWADM.SFT]SWADM\_CLSMNT\_MENU.COM  
 [SWADM.SFT]SWADM\_CLUSTER\_MENU.COM  
 [SWADM.SFT]SWADM\_COMMNET\_MENU.COM  
 [SWADM.SFT]SWADM\_COMMUNICATIONS\_MENU.COM  
 [SWADM.SFT]SWADM\_COMM\_FAMILY\_MENU.COM  
 [SWADM.SFT]SWADM\_COMM\_SERVICE\_MENU.COM  
 [SWADM.SFT]SWADM\_COMM\_USAGE\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_COMM\_VALUE\_FORMAT\_MENU.COM  
 [SWADM.SFT]SWADM\_COMM\_VALUE\_MENU.COM  
 [SWADM.SFT]SWADM\_COMM\_VALUE\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_COMPUTER\_MENU.COM  
 [SWADM.SFT]SWADM\_COMPUTER\_NODE\_MENU.COM  
 [SWADM.SFT]SWADM\_COMPUTER\_SYSTEM\_MENU.COM  
 [SWADM.SFT]SWADM\_COMPUTER\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_CONFIGURATION\_MENU.COM  
 [SWADM.SFT]SWADM\_CONTEXT\_CONFIG\_ITEM\_MENU.COM

[SWADM.SFT]SWADM\_COUNTRY\_MENU.COM  
 [SWADM.SFT]SWADM\_COUNTRY\_POSTCODE\_MENU.COM  
 [SWADM.SFT]SWADM\_COUNTRY\_ZONE\_MENU.COM  
 [SWADM.SFT]SWADM\_CURRENCY\_MENU.COM  
 [SWADM.SFT]SWADM\_CURRENCY\_UNIT\_MENU.COM  
 [SWADM.SFT]SWADM\_CUSTOMERS\_MENU.COM  
 [SWADM.SFT]SWADM\_CUSTOMER\_STATUS\_MENU.COM  
 [SWADM.SFT]SWADM\_CUST\_BILLING\_PERIOD\_MENU.COM  
 [SWADM.SFT]SWADM\_CUST\_PAYMENT\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_DECNET\_ADDRESS\_MENU.COM  
 [SWADM.SFT]SWADM\_DIRECTORY\_PROFILE\_MENU.COM  
 [SWADM.SFT]SWADM\_DIRMNT\_MENU.COM  
 [SWADM.SFT]SWADM\_DIRTOOLS.EXE  
 [SWADM.SFT]SWADM\_DISKS\_MENU.COM  
 [SWADM.SFT]SWADM\_DISK\_DEVICE\_MENU.COM  
 [SWADM.SFT]SWADM\_DISK\_DEVICE\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_DISK\_MECHANISM\_MENU.COM  
 [SWADM.SFT]SWADM\_DISK\_MEDIA\_FORMAT\_MENU.COM  
 [SWADM.SFT]SWADM\_DISK\_MEDIA\_MENU.COM  
 [SWADM.SFT]SWADM\_DISK\_MEDIA\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_DISK\_VOLUME\_MENU.COM  
 [SWADM.SFT]SWADM\_DOCUMENTS\_MENU.COM  
 [SWADM.SFT]SWADM\_DOCUMENT\_FORMAT\_MENU.COM  
 [SWADM.SFT]SWADM\_DOCUMENT\_HEADER\_MENU.COM  
 [SWADM.SFT]SWADM\_DOCUMENT\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_EMAIL\_LIST\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_EMPLOYEE\_MENU.COM  
 [SWADM.SFT]SWADM\_ENVREG\_MENU.COM  
 [SWADM.SFT]SWADM\_ENVTYPREG\_MENU.COM  
 [SWADM.SFT]SWADM\_EQPMNU\_MENU.COM  
 [SWADM.SFT]SWADM\_EQUIPMENT\_MENU.COM  
 [SWADM.SFT]SWADM\_EQUIP\_CLASS\_MENU.COM  
 [SWADM.SFT]SWADM\_EQUIP\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_ETHERNET\_ADDRESS\_MENU.COM  
 [SWADM.SFT]SWADM\_EXPORT\_EMAIL\_LISTS.COM  
 [SWADM.SFT]SWADM\_EXPORT\_ID\_INFO.COM  
 [SWADM.SFT]SWADM\_EXPORT\_USER\_CLASS\_MEMBERS.COM  
 [SWADM.SFT]SWADM\_EXPORT\_USER\_INFO.COM  
 [SWADM.SFT]SWADM\_FILES\_MENU.COM  
 [SWADM.SFT]SWADM\_FILE\_CLASSES\_MENU.COM  
 [SWADM.SFT]SWADM\_FILE\_CLASS\_MENU.COM  
 [SWADM.SFT]SWADM\_FILE\_FORMAT\_MENU.COM  
 [SWADM.SFT]SWADM\_FILE\_SPEC\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_FINANCIALS\_MENU.COM  
 [SWADM.SFT]SWADM\_FNCMNT\_MENU.COM  
 [SWADM.SFT]SWADM\_FREQUENCY\_MENU.COM  
 [SWADM.SFT]SWADM\_GENERIC\_COMM\_VALUE\_MENU.COM  
 [SWADM.SFT]SWADM\_GENERIC\_LOCATION\_MENU.COM  
 [SWADM.SFT]SWADM\_GROUP\_MENU.COM  
 [SWADM.SFT]SWADM\_GRPCLSMNT\_MENU.COM  
 [SWADM.SFT]SWADM\_GRPNGR\_MENU.COM  
 [SWADM.SFT]SWADM\_GRPNGR\_MENU.COM  
 [SWADM.SFT]SWADM\_HOUSEHOLD\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_IMPORT\_AUST\_POST\_PCODE.COM  
 [SWADM.SFT]SWADM\_IMPORT\_DISK\_INFO.COM  
 [SWADM.SFT]SWADM\_IMPORT\_LICENSE\_PAK\_SUPPLIER\_INFO.COM  
 [SWADM.SFT]SWADM\_IMPORT\_TAPE\_INFO.COM  
 [SWADM.SFT]SWADM\_INDIVIDUAL\_TITLE\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERNET\_DOMAIN\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERNET\_DOMAIN\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERNET\_HANDLE\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERNET\_HOST\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERNET\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERNET\_NETWORK\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERNET\_SERVICE\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERNET\_SITE\_MENU.COM

[SWADM.SFT]SWADM\_INTERNET\_SUBSITE\_MENU.COM  
 [SWADM.SFT]SWADM\_INTERVAL\_MENU.COM  
 [SWADM.SFT]SWADM\_IP4\_ADDRESS\_MENU.COM  
 [SWADM.SFT]SWADM\_IP4\_PORT\_MENU.COM  
 [SWADM.SFT]SWADM\_IP4\_SUBNET\_MENU.COM  
 [SWADM.SFT]SWADM\_JOBS\_MENU.COM  
 [SWADM.SFT]SWADM\_LICENSES\_MENU.COM  
 [SWADM.SFT]SWADM\_LOCALITY\_MENU.COM  
 [SWADM.SFT]SWADM\_LOCALITY\_NAME\_MENU.COM  
 [SWADM.SFT]SWADM\_LOCATION\_MENU.COM  
 [SWADM.SFT]SWADM\_LOCATION\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_LOGDSK\_MENU.COM  
 [SWADM.SFT]SWADM\_LOGICAL\_DISK\_MENU.COM  
 [SWADM.SFT]SWADM\_LOGIN.COM  
 [SWADM.SFT]SWADM\_MAILPOINT\_INSTANCE\_MENU.COM  
 [SWADM.SFT]SWADM\_MAILPOINT\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_MANAGE\_ACMS.COM  
 [SWADM.SFT]SWADM\_MANAGE\_ADVANCED\_SERVER.COM  
 [SWADM.SFT]SWADM\_MANAGE\_APACHE.COM  
 [SWADM.SFT]SWADM\_MANAGE\_DECFAX.COM  
 [SWADM.SFT]SWADM\_MANAGE\_DFG.COM  
 [SWADM.SFT]SWADM\_MANAGE\_MAILWORKS.COM  
 [SWADM.SFT]SWADM\_MANAGE\_MSA.COM  
 [SWADM.SFT]SWADM\_MANAGE\_PROMPT.COM  
 [SWADM.SFT]SWADM\_MANAGE\_TCPIP.COM  
 [SWADM.SFT]SWADM\_MANAGE\_VMSMAIL.COM  
 [SWADM.SFT]SWADM\_MEASUREMENT\_CLASS\_MENU.COM  
 [SWADM.SFT]SWADM\_MEASUREMENT\_MENU.COM  
 [SWADM.SFT]SWADM\_MEASUREMENT\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_MEASUREMENT\_UNIT\_MENU.COM  
 [SWADM.SFT]SWADM\_MEMBER\_ADDRESS\_MENU.COM  
 [SWADM.SFT]SWADM\_MEMBER\_CATEGORY\_MENU.COM  
 [SWADM.SFT]SWADM\_MEMBER\_COMM\_VALUE\_MENU.COM  
 [SWADM.SFT]SWADM\_MEMBER\_MENU.COM  
 [SWADM.SFT]SWADM\_MEMBER\_RELATIONSHIP\_MENU.COM  
 [SWADM.SFT]SWADM\_MEMBER\_RELN\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_MEMBER\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_ASSOCIATION\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_ASSOCIATION\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_CLASS\_IMPL\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_CLASS\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_CLASS\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_METHOD\_MECHANISM\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_METHOD\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_OPERATION\_MENU\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_PACKAGES\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_PACKAGE\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_PROPERTY\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_PROPERTY\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_SCOPE\_MENU.COM  
 [SWADM.SFT]SWADM\_META\_SCOPE\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_MIME\_CLASS\_MENU.COM  
 [SWADM.SFT]SWADM\_MIME\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_MONITOR\_SYSTEM.COM  
 [SWADM.SFT]SWADM\_NAMED\_IMAGE\_MENU.COM  
 [SWADM.SFT]SWADM\_NAMED\_SCRIPT\_MENU.COM  
 [SWADM.SFT]SWADM\_NAME\_MODEL\_MENU.COM  
 [SWADM.SFT]SWADM\_NETWORK\_FAMILY\_MENU.COM  
 [SWADM.SFT]SWADM\_NETWORK\_NODE\_CLASS\_MENU.COM  
 [SWADM.SFT]SWADM\_NETWORK\_NODE\_MENU.COM  
 [SWADM.SFT]SWADM\_NETWORK\_NODE\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_NETWORK\_TRANSPORT\_MENU.COM  
 [SWADM.SFT]SWADM\_NET\_ACCOUNT\_ID\_FORMAT.COM  
 [SWADM.SFT]SWADM\_NET\_ADDR\_BUILDING.COM  
 [SWADM.SFT]SWADM\_NET\_ADDR\_CORNER\_INST.COM  
 [SWADM.SFT]SWADM\_NET\_ADDR\_PROP\_INSTANCE.COM

[SWADM.SFT]SWADM\_NET\_ADDR\_SUBPROP\_INST.COM  
 [SWADM.SFT]SWADM\_NET\_ADDR\_SUBPROP\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_ADDR\_USAGE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_APPLICATION.COM  
 [SWADM.SFT]SWADM\_NET\_APPL\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_APPL\_ENVR.COM  
 [SWADM.SFT]SWADM\_NET\_APPL\_ENVR\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_APPL\_VRSN.COM  
 [SWADM.SFT]SWADM\_NET\_ARCHITECTURE.COM  
 [SWADM.SFT]SWADM\_NET\_BASE.COM  
 [SWADM.SFT]SWADM\_NET\_BATCH\_QUEUE.COM  
 [SWADM.SFT]SWADM\_NET\_BILLING\_MODEL.COM  
 [SWADM.SFT]SWADM\_NET\_BUSINESS.COM  
 [SWADM.SFT]SWADM\_NET\_BUSINESS\_RELN.COM  
 [SWADM.SFT]SWADM\_NET\_BUSINESS\_RELN\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_CALENDAR\_DAY.COM  
 [SWADM.SFT]SWADM\_NET\_CHARGING\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_CHARGING\_ITEM.COM  
 [SWADM.SFT]SWADM\_NET\_CHARGING\_ITEM\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_CHARGING\_MODEL.COM  
 [SWADM.SFT]SWADM\_NET\_CHARGING\_RATES.COM  
 [SWADM.SFT]SWADM\_NET\_CLUSTER.COM  
 [SWADM.SFT]SWADM\_NET\_COMM\_FAMILY.COM  
 [SWADM.SFT]SWADM\_NET\_COMM\_SERVICE.COM  
 [SWADM.SFT]SWADM\_NET\_COMM\_USAGE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_COMM\_VALUE.COM  
 [SWADM.SFT]SWADM\_NET\_COMM\_VALUE\_FORMAT.COM  
 [SWADM.SFT]SWADM\_NET\_COMM\_VALUE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_COMPUTER\_NODE.COM  
 [SWADM.SFT]SWADM\_NET\_COMPUTER\_SYSTEM.COM  
 [SWADM.SFT]SWADM\_NET\_COMPUTER\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_CONTEXT\_CONFIG\_ITEM.COM  
 [SWADM.SFT]SWADM\_NET\_COUNTRY.COM  
 [SWADM.SFT]SWADM\_NET\_COUNTRY\_POSTCODE.COM  
 [SWADM.SFT]SWADM\_NET\_COUNTRY\_ZONE.COM  
 [SWADM.SFT]SWADM\_NET\_CURRENCY.COM  
 [SWADM.SFT]SWADM\_NET\_CURRENCY\_UNIT.COM  
 [SWADM.SFT]SWADM\_NET\_CUSTOMER.COM  
 [SWADM.SFT]SWADM\_NET\_CUSTOMER\_STATUS.COM  
 [SWADM.SFT]SWADM\_NET\_CUST\_BILLING\_PERIOD.COM  
 [SWADM.SFT]SWADM\_NET\_CUST\_PAYMENT\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_DECNET\_ADDRESS.COM  
 [SWADM.SFT]SWADM\_NET\_DIRECTORY\_PROFILE.COM  
 [SWADM.SFT]SWADM\_NET\_DISK\_DEVICE.COM  
 [SWADM.SFT]SWADM\_NET\_DISK\_DEVICE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_DISK\_MECHANISM.COM  
 [SWADM.SFT]SWADM\_NET\_DISK\_MEDIA.COM  
 [SWADM.SFT]SWADM\_NET\_DISK\_MEDIA\_FORMAT.COM  
 [SWADM.SFT]SWADM\_NET\_DISK\_MEDIA\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_DISK\_VOLUME.COM  
 [SWADM.SFT]SWADM\_NET\_DOCUMENT\_FORMAT.COM  
 [SWADM.SFT]SWADM\_NET\_DOCUMENT\_HEADER.COM  
 [SWADM.SFT]SWADM\_NET\_DOCUMENT\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_EMAIL\_LIST\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_EMPLOYEE.COM  
 [SWADM.SFT]SWADM\_NET\_ENVIRONMENT.COM  
 [SWADM.SFT]SWADM\_NET\_ENVIRONMENT\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_EQUIPMENT.COM  
 [SWADM.SFT]SWADM\_NET\_EQUIP\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_EQUIP\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_ETHERNET\_ADDRESS.COM  
 [SWADM.SFT]SWADM\_NET\_FILE\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_FILE\_FORMAT.COM  
 [SWADM.SFT]SWADM\_NET\_FILE\_SPEC\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_FREQUENCY.COM  
 [SWADM.SFT]SWADM\_NET\_FUNCTION.COM

[SWADM.SFT]SWADM\_NET\_GROUP.COM  
 [SWADM.SFT]SWADM\_NET\_GROUP\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_HOUSEHOLD\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_INDIVIDUAL\_TITLE.COM  
 [SWADM.SFT]SWADM\_NET\_INTERNET\_DOMAIN.COM  
 [SWADM.SFT]SWADM\_NET\_INTERNET\_DOMAIN\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_INTERNET\_HANDLE.COM  
 [SWADM.SFT]SWADM\_NET\_INTERNET\_HOST.COM  
 [SWADM.SFT]SWADM\_NET\_INTERNET\_NETWORK.COM  
 [SWADM.SFT]SWADM\_NET\_INTERNET\_SERVICE.COM  
 [SWADM.SFT]SWADM\_NET\_INTERNET\_SITE.COM  
 [SWADM.SFT]SWADM\_NET\_INTERNET\_SUBSITE.COM  
 [SWADM.SFT]SWADM\_NET\_INTERVAL.COM  
 [SWADM.SFT]SWADM\_NET\_IP4\_ADDRESS.COM  
 [SWADM.SFT]SWADM\_NET\_IP4\_PORT.COM  
 [SWADM.SFT]SWADM\_NET\_IP4\_SUBNET.COM  
 [SWADM.SFT]SWADM\_NET\_LICENSE.COM  
 [SWADM.SFT]SWADM\_NET\_LOCALITY.COM  
 [SWADM.SFT]SWADM\_NET\_LOCALITY\_NAME.COM  
 [SWADM.SFT]SWADM\_NET\_LOCATION.COM  
 [SWADM.SFT]SWADM\_NET\_LOCATION\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_LOGICAL\_DISK.COM  
 [SWADM.SFT]SWADM\_NET\_LOGICAL\_SUB\_DISK.COM  
 [SWADM.SFT]SWADM\_NET\_MAILPOINT\_INSTANCE.COM  
 [SWADM.SFT]SWADM\_NET\_MAILPOINT\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_MEASUREMENT\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_MEASUREMENT\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_MEASUREMENT\_UNIT.COM  
 [SWADM.SFT]SWADM\_NET\_MEMBER.COM  
 [SWADM.SFT]SWADM\_NET\_MEMBER\_ADDRESS.COM  
 [SWADM.SFT]SWADM\_NET\_MEMBER\_CATEGORY.COM  
 [SWADM.SFT]SWADM\_NET\_MEMBER\_COMM\_VALUE.COM  
 [SWADM.SFT]SWADM\_NET\_MEMBER\_RELATIONSHIP.COM  
 [SWADM.SFT]SWADM\_NET\_MEMBER\_RELN\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_MEMBER\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_META\_ASSOCIATION.COM  
 [SWADM.SFT]SWADM\_NET\_META\_ASSOCIATION\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_META\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_META\_CLASS\_IMPL.COM  
 [SWADM.SFT]SWADM\_NET\_META\_CLASS\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_META\_METHOD.COM  
 [SWADM.SFT]SWADM\_NET\_META\_METHOD\_MECHANISM.COM  
 [SWADM.SFT]SWADM\_NET\_META\_OPERATION.COM  
 [SWADM.SFT]SWADM\_NET\_META\_PACKAGE.COM  
 [SWADM.SFT]SWADM\_NET\_META\_PACKAGE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_META\_PROPERTY.COM  
 [SWADM.SFT]SWADM\_NET\_META\_PROPERTY\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_META\_SCOPE.COM  
 [SWADM.SFT]SWADM\_NET\_META\_SCOPE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_MIME\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_MIME\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_NAMED\_IMAGE.COM  
 [SWADM.SFT]SWADM\_NET\_NAMED\_SCRIPT.COM  
 [SWADM.SFT]SWADM\_NET\_NAME\_MODEL.COM  
 [SWADM.SFT]SWADM\_NET\_NETWORK\_FAMILY.COM  
 [SWADM.SFT]SWADM\_NET\_NETWORK\_NODE.COM  
 [SWADM.SFT]SWADM\_NET\_NETWORK\_NODE\_CLASS.COM  
 [SWADM.SFT]SWADM\_NET\_NETWORK\_NODE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_NETWORK\_TRANSPORT.COM  
 [SWADM.SFT]SWADM\_NET\_NOTICE.COM  
 [SWADM.SFT]SWADM\_NET\_OPENVMS\_USERNAME.COM  
 [SWADM.SFT]SWADM\_NET\_OPER\_SYS.COM  
 [SWADM.SFT]SWADM\_NET\_PAK.COM  
 [SWADM.SFT]SWADM\_NET\_PAYMENT\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_PLATFORM.COM  
 [SWADM.SFT]SWADM\_NET\_PRINTER.COM

[SWADM.SFT]SWADM\_NET\_PRINTER\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_PRINT\_FORM.COM  
 [SWADM.SFT]SWADM\_NET\_PRINT\_STOCK.COM  
 [SWADM.SFT]SWADM\_NET\_PRIVACY\_QUESTION.COM  
 [SWADM.SFT]SWADM\_NET\_PRODUCT.COM  
 [SWADM.SFT]SWADM\_NET\_PWD.COM  
 [SWADM.SFT]SWADM\_NET\_SAVESET.COM  
 [SWADM.SFT]SWADM\_NET\_SAVESET\_FORMAT.COM  
 [SWADM.SFT]SWADM\_NET\_SAVESET\_INSTANCE.COM  
 [SWADM.SFT]SWADM\_NET\_SECURITY\_ACTION.COM  
 [SWADM.SFT]SWADM\_NET\_SECURITY\_CHECK.COM  
 [SWADM.SFT]SWADM\_NET\_SECURITY\_MODEL.COM  
 [SWADM.SFT]SWADM\_NET\_SECURITY\_PRIVILEGE.COM  
 [SWADM.SFT]SWADM\_NET\_SITE.COM  
 [SWADM.SFT]SWADM\_NET\_SMTP\_ADDRESS.COM  
 [SWADM.SFT]SWADM\_NET\_STARTUP\_PHASE.COM  
 [SWADM.SFT]SWADM\_NET\_STARTUP\_PROCEDURE.COM  
 [SWADM.SFT]SWADM\_NET\_STORAGE\_AREA.COM  
 [SWADM.SFT]SWADM\_NET\_SUBLEDGER\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_SUBLOCALITY.COM  
 [SWADM.SFT]SWADM\_NET\_SUPPLIER.COM  
 [SWADM.SFT]SWADM\_NET\_SWDATABASE.COM  
 [SWADM.SFT]SWADM\_NET\_SYSTEM\_JOB.COM  
 [SWADM.SFT]SWADM\_NET\_SYUSRCLS.COM  
 [SWADM.SFT]SWADM\_NET\_TAPE\_DEVICE.COM  
 [SWADM.SFT]SWADM\_NET\_TAPE\_DEVICE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_TAPE\_MEDIA.COM  
 [SWADM.SFT]SWADM\_NET\_TAPE\_MEDIA\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_TAPE\_POOL.COM  
 [SWADM.SFT]SWADM\_NET\_TAPE\_VOLUME.COM  
 [SWADM.SFT]SWADM\_NET\_TELEPHONE\_AREA\_CODE.COM  
 [SWADM.SFT]SWADM\_NET\_TELEPHONE\_NUMBER.COM  
 [SWADM.SFT]SWADM\_NET\_TERMINAL.COM  
 [SWADM.SFT]SWADM\_NET\_TERM\_SERV.COM  
 [SWADM.SFT]SWADM\_NET\_TERM\_SERV\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_TERM\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_THRGHFR\_INSTANCE.COM  
 [SWADM.SFT]SWADM\_NET\_THRGHFR\_NAME.COM  
 [SWADM.SFT]SWADM\_NET\_THRGHFR\_SUFFIX.COM  
 [SWADM.SFT]SWADM\_NET\_THRGHFR\_TYPE.COM  
 [SWADM.SFT]SWADM\_NET\_TUNING\_DOMAIN.COM  
 [SWADM.SFT]SWADM\_NET\_UNIX\_USERNAME.COM  
 [SWADM.SFT]SWADM\_NET\_USER.COM  
 [SWADM.SFT]SWADM\_NET\_USER\_STATUS.COM  
 [SWADM.SFT]SWADM\_NET\_VARIABLE.COM  
 [SWADM.SFT]SWADM\_NET\_VARIABLE\_TYPE.COM  
 [SWADM.SFT]SWADM\_NOTICES\_EDIT\_COMMANDS.EVE  
 [SWADM.SFT]SWADM\_NOTICES\_EDIT\_COMMANDS.LSE  
 [SWADM.SFT]SWADM\_NOTICES\_MENU.COM  
 [SWADM.SFT]SWADM\_OPERATIONS\_MENU.COM  
 [SWADM.SFT]SWADM\_OPER\_SYS\_MENU.COM  
 [SWADM.SFT]SWADM\_OVERNIGHT\_PROCESSING.COM  
 [SWADM.SFT]SWADM\_PAKS\_MENU.COM  
 [SWADM.SFT]SWADM\_PAYMENT\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_PLATFORMS\_MENU.COM  
 [SWADM.SFT]SWADM\_PRINTER\_MENU.COM  
 [SWADM.SFT]SWADM\_PRINTER\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_PRINT\_FORM\_MENU.COM  
 [SWADM.SFT]SWADM\_PRINT\_STOCK\_MENU.COM  
 [SWADM.SFT]SWADM\_PRIVACY\_QUESTION\_MENU.COM  
 [SWADM.SFT]SWADM\_PRODUCTS\_MENU.COM  
 [SWADM.SFT]SWADM\_PRTCTL\_MENU.COM  
 [SWADM.SFT]SWADM\_PRTMNU\_MENU.COM  
 [SWADM.SFT]SWADM\_PRTTRM\_MENU.COM  
 [SWADM.SFT]SWADM\_RENAME\_COMPUTER\_NODE.COM  
 [SWADM.SFT]SWADM\_REPAIR\_SWDATABASE.COM

[SWADM.SFT]SWADM\_RESTART\_ALL\_LOGS.COM  
 [SWADM.SFT]SWADM\_RESTART\_OPERATOR\_LOG.COM  
 [SWADM.SFT]SWADM\_SAVESET\_FORMAT\_MENU.COM  
 [SWADM.SFT]SWADM\_SAVESET\_INSTANCE\_MENU.COM  
 [SWADM.SFT]SWADM\_SAVESET\_MENU.COM  
 [SWADM.SFT]SWADM\_SCAN\_APPL\_ENVR.COM  
 [SWADM.SFT]SWADM\_SCAN\_GROUP.COM  
 [SWADM.SFT]SWADM\_SCAN\_HISTORY.COM  
 [SWADM.SFT]SWADM\_SECURE\_APPL\_ENVR.COM  
 [SWADM.SFT]SWADM\_SECURE\_CDD.COM  
 [SWADM.SFT]SWADM\_SECURE\_GROUP.COM  
 [SWADM.SFT]SWADM\_SECURE\_USER.COM  
 [SWADM.SFT]SWADM\_SECURE\_WWW.COM  
 [SWADM.SFT]SWADM\_SECURITY\_ACTION\_MENU.COM  
 [SWADM.SFT]SWADM\_SECURITY\_CHECK\_MENU.COM  
 [SWADM.SFT]SWADM\_SECURITY\_MODEL\_MENU.COM  
 [SWADM.SFT]SWADM\_SECURITY\_PRIVILEGE\_MENU.COM  
 [SWADM.SFT]SWADM\_SHUTDOWN\_APPLICATIONS.COM  
 [SWADM.SFT]SWADM\_SHUTDOWN\_COMPUTER\_NODE.COM  
 [SWADM.SFT]SWADM\_SHUTDOWN\_MENU.COM  
 [SWADM.SFT]SWADM\_SITREG\_MENU.COM  
 [SWADM.SFT]SWADM\_SMTTP\_ADDRESS\_MENU.COM  
 [SWADM.SFT]SWADM\_SOFTWARE\_MENU.COM  
 [SWADM.SFT]SWADM\_STARTUP\_APPLICATIONS.COM  
 [SWADM.SFT]SWADM\_STARTUP\_BATCH\_QUEUES.COM  
 [SWADM.SFT]SWADM\_STARTUP\_DISKS.COM  
 [SWADM.SFT]SWADM\_STARTUP\_END.COM  
 [SWADM.SFT]SWADM\_STARTUP\_END\_PRODUCTS.COM  
 [SWADM.SFT]SWADM\_STARTUP\_LOGICALS.COM  
 [SWADM.SFT]SWADM\_STARTUP\_MENU.COM  
 [SWADM.SFT]SWADM\_STARTUP\_PHASES\_MENU.COM  
 [SWADM.SFT]SWADM\_STARTUP\_PRINTERS.COM  
 [SWADM.SFT]SWADM\_STARTUP\_PROCEDURES\_MENU.COM  
 [SWADM.SFT]SWADM\_STARTUP\_SYSTEM\_INFO.COM  
 [SWADM.SFT]SWADM\_STORAGE\_AREA\_MENU.COM  
 [SWADM.SFT]SWADM\_STORAGE\_MENU.COM  
 [SWADM.SFT]SWADM\_SUBLEDGER\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_SUBLOCALITY\_MENU.COM  
 [SWADM.SFT]SWADM\_SUPPLIERS\_MENU.COM  
 [SWADM.SFT]SWADM\_SYSJOBS\_MENU.COM  
 [SWADM.SFT]SWADM\_SYSMNU\_MENU.COM  
 [SWADM.SFT]SWADM\_SYSOBJ\_TYPES\_MENU.COM  
 [SWADM.SFT]SWADM\_SYSTEM\_DIRECTORY\_PROFILE\_MENU.COM  
 [SWADM.SFT]SWADM\_SYSTEM\_OBJECT\_MENU.COM  
 [SWADM.SFT]SWADM\_SYSUSRCLS\_MENU.COM  
 [SWADM.SFT]SWADM\_SYSVBLMNT\_MENU.COM  
 [SWADM.SFT]SWADM\_TAPES\_MENU.COM  
 [SWADM.SFT]SWADM\_TAPE\_DEVICE\_MENU.COM  
 [SWADM.SFT]SWADM\_TAPE\_DEVICE\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_TAPE\_MEDIA\_MENU.COM  
 [SWADM.SFT]SWADM\_TAPE\_MEDIA\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_TAPE\_POOL\_MENU.COM  
 [SWADM.SFT]SWADM\_TAPE\_VOLUME\_MENU.COM  
 [SWADM.SFT]SWADM\_TELEPHONE\_AREA\_CODE\_MENU.COM  
 [SWADM.SFT]SWADM\_TELEPHONE\_NUMBER\_MENU.COM  
 [SWADM.SFT]SWADM\_THRGHFR\_INSTANCE\_MENU.COM  
 [SWADM.SFT]SWADM\_THRGHFR\_NAME\_MENU.COM  
 [SWADM.SFT]SWADM\_THRGHFR\_SUFFIX\_MENU.COM  
 [SWADM.SFT]SWADM\_THRGHFR\_TYPE\_MENU.COM  
 [SWADM.SFT]SWADM\_TRMMNU\_MENU.COM  
 [SWADM.SFT]SWADM\_TRMREG\_MENU.COM  
 [SWADM.SFT]SWADM\_TRMSRVREG\_MENU.COM  
 [SWADM.SFT]SWADM\_TRMSRVTYPREG\_MENU.COM  
 [SWADM.SFT]SWADM\_TRMTYPREG\_MENU.COM  
 [SWADM.SFT]SWADM\_TUNDOMREG\_MENU.COM  
 [SWADM.SFT]SWADM\_TUNING\_MENU.COM

[SWADM.SFT]SWADM\_UPDATE\_BILLING.COM  
[SWADM.SFT]SWADM\_UPDATE\_BUSINESS.COM  
[SWADM.SFT]SWADM\_UPDATE\_CLUSTER\_INFO.COM  
[SWADM.SFT]SWADM\_UPDATE\_CUSTOMER.COM  
[SWADM.SFT]SWADM\_UPDATE\_EQUIPMENT.COM  
[SWADM.SFT]SWADM\_UPDATE\_FILE.COM  
[SWADM.SFT]SWADM\_UPDATE\_INTERNET\_DOMAIN.COM  
[SWADM.SFT]SWADM\_UPDATE\_LOCATION.COM  
[SWADM.SFT]SWADM\_UPDATE\_MEMBER.COM  
[SWADM.SFT]SWADM\_UPDATE\_NODE.COM  
[SWADM.SFT]SWADM\_UPDATE\_SUPPLIER.COM  
[SWADM.SFT]SWADM\_UPDATE\_TAPE.COM  
[SWADM.SFT]SWADM\_UPDATE\_USERNAME.COM  
[SWADM.SFT]SWADM\_USERS\_MENU.COM  
[SWADM.SFT]SWADM\_USER\_STATUS\_MENU.COM  
[SWADM.SFT]SWADM\_USRFAC\_MENU.COM  
[SWADM.SFT]SWADM\_VARIABLE\_TYPE\_MENU.COM  
[SWADM.SFT]SWADM\_VBLMNT\_MENU.COM  
[SWADM.SFT]SWADM\_VUE\_SYSMGT.VUE\$DAT  
[SWADM.SFT]SWADM\_WORKSTATION\_MENU.COM

[SWDBA.DOC]SWDBAHLPL.HLB  
[SWDBA.DOC]SWDBA\_DATABASE\_REF.decw\$book  
[SWDBA.DOC]SWDBA\_DATABASE\_REF.DECW\$BOOKSHELF  
[SWDBA.DOC]SWDBA\_DATABASE\_REF.HTML  
[SWDBA.DOC]SWDBA\_DATABASE\_REF.PS  
[SWDBA.DOC]SWDBA\_DATABASE\_REF\_001.HTML  
[SWDBA.DOC]SWDBA\_DATABASE\_REF\_002.HTML  
[SWDBA.DOC]SWDBA\_DATABASE\_REF\_003.HTML  
[SWDBA.DOC]SWDBA\_DATABASE\_REF\_CONTENTS.HTML  
[SWDBA.DOC]SWDBA\_DATABASE\_REF\_CONTENTS\_001.HTML  
[SWDBA.DOC]SWDBA\_DATABASE\_REF\_INDEX.HTML

[SWDBA.SFT]BOOT.COM  
[SWDBA.SFT]ENTER.COM  
[SWDBA.SFT]EXIT.COM  
[SWDBA.SFT]GRANT.COM  
[SWDBA.SFT]LOGICALS.COM  
[SWDBA.SFT]RECOVER.COM  
[SWDBA.SFT]REVOKE.COM  
[SWDBA.SFT]SECURE.COM  
[SWDBA.SFT]SHUTDOWN.COM  
[SWDBA.SFT]SWDBASHR.EXE  
[SWDBA.SFT]SWDBA\_CLOSE\_OUTPUT\_RTN.SQL  
[SWDBA.SFT]SWDBA\_COMMON.TPU  
[SWDBA.SFT]SWDBA\_CREATE\_DATABASE.COM  
[SWDBA.SFT]SWDBA\_CVT\_DATE6\_TIME4\_TO\_ANSI\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE6\_TIME4\_TO\_VMS\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE6\_TIME6\_TO\_ANSI\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE6\_TIME6\_TO\_VMS\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE6\_TIME8\_TO\_ANSI\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE6\_TIME8\_TO\_VMS\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE6\_TO\_ANSI\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE6\_TO\_VMS\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE8\_TIME4\_TO\_ANSI\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE8\_TIME4\_TO\_VMS\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE8\_TIME6\_TO\_ANSI\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE8\_TIME6\_TO\_VMS\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE8\_TIME8\_TO\_ANSI\_RTN.SQL  
[SWDBA.SFT]SWDBA\_CVT\_DATE8\_TIME8\_TO\_VMS\_RTN.SQL

[SWDBA.SFT]SWDBA\_CVT\_DATE8\_TO\_ANSI\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_CVT\_DATE8\_TO\_VMS\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_CVT\_DATE\_TIME\_ADJ\_TO\_ANSI\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_CVT\_DATE\_TIME\_ADJ\_TO\_VMS\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_CVT\_DOMAIN\_LIS\_TO\_SRC.TPU  
 [SWDBA.SFT]SWDBA\_CVT\_GEN\_TBL\_TO\_MAP.COM  
 [SWDBA.SFT]SWDBA\_CVT\_GEN\_TBL\_TO\_MAP.TPU  
 [SWDBA.SFT]SWDBA\_CVT\_INDEX\_LIS\_TO\_SRC.TPU  
 [SWDBA.SFT]SWDBA\_CVT\_RMU\_RBF\_DMP\_TO\_RMU\_OPT.TPU  
 [SWDBA.SFT]SWDBA\_CVT\_STRG\_AREA\_LIS\_TO\_RMU\_OPT.TPU  
 [SWDBA.SFT]SWDBA\_CVT\_TABLE\_LIS\_TO\_ROW\_SIZ.TPU  
 [SWDBA.SFT]SWDBA\_CVT\_TABLE\_LIS\_TO\_SRC.TPU  
 [SWDBA.SFT]SWDBA\_CVT\_TRIGGER\_LIS\_TO\_SRC.TPU  
 [SWDBA.SFT]SWDBA\_CVT\_VIEW\_LIS\_TO\_SRC.TPU  
 [SWDBA.SFT]SWDBA\_DATABASE.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070.RBF  
 [SWDBA.SFT]SWDBA\_DATABASE\_070.RBR  
 [SWDBA.SFT]SWDBA\_DATABASE\_070.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070\_CONSTRAINTS.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070\_DOMAINS.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070\_INDICES.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070\_MODULES.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070\_ROUTINES.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070\_TABLES.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070\_TABLE\_ACLS.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_070\_VIEWS.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071.RBF  
 [SWDBA.SFT]SWDBA\_DATABASE\_071.RBR  
 [SWDBA.SFT]SWDBA\_DATABASE\_071.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071\_CONSTRAINTS.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071\_DOMAINS.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071\_INDICES.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071\_MODULES.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071\_ROUTINES.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071\_TABLES.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071\_TABLE\_ACLS.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_071\_VIEWS.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_COMMON.SQL  
 [SWDBA.SFT]SWDBA\_DATABASE\_MENU.COM  
 [SWDBA.SFT]SWDBA\_DBATOOLS.EXE  
 [SWDBA.SFT]SWDBA\_DOMAINS.SQL  
 [SWDBA.SFT]SWDBA\_EXTRACT\_BIT\_FIELD\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_FIXUP\_ANALYZE\_INDEX\_RRD.TPU  
 [SWDBA.SFT]SWDBA\_GENERATE\_METADATA\_FROM\_DATABASE.TPU  
 [SWDBA.SFT]SWDBA\_INT\_AND\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_INT\_OR\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_INT\_XOR\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_LOGIN.COM  
 [SWDBA.SFT]SWDBA\_MOD\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_OPEN\_OUTPUT\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_PUT\_OUTPUT\_RTN.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$ABM\_COUNT\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$AIP\_COUNT\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$ANALYZE\_AREA\_MAP.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$ANALYZE\_AREA\_TBL.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$ANALYZE\_INDEX\_MAP.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$ANALYZE\_INDEX\_TBL.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$ANALYZE\_PLACEMENT\_MAP.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$ANALYZE\_PLACEMENT\_TBL.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$AREA\_NAME\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$AVAILABLE\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$BTREE\_NODE\_BYTES\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$COUNT\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$DATA\_COUNT\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$DATE\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_RMU\$DUPLICATES\_BYTES\_DOM.SQL

[ SWDBA . SFT ] SWDBA\_RMU\$DUPLICATE\_AVAILABLE\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$DUPLICATE\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$DUPLICATE\_DATA\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$DUPLICATE\_KEY\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$DUPLICATE\_MAP\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$DUPLICATE\_MAP\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$DUPLICATE\_USED\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$EXPANDED\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$EXPANDED\_FRAGMENT\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$FLAGS\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$FRAGMENTED\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$FRAGMENTED\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$FRAGMENT\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$FREE\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$HASH\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$INDEX\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$INDEX\_NAME\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$KEY\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$LEVEL\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$LOGICAL\_AREA\_ID\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$MAX\_KEY\_PATH\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$MAX\_PAGE\_NUMBER\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$MAX\_PAGE\_PATH\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$MIN\_BUF\_PATH\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$OVERFLOW\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$OVERHEAD\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$PAGE\_LENGTH\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$RECORD\_ALLOCATION\_SIZE\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$RELATION\_ID\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$RELATION\_NAME\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$SPAM\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$STORAGE\_AREA\_ID\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$TOTAL\_BUFFER\_PATH\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$TOTAL\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$TOTAL\_CMPRSD\_IKEY\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$TOTAL\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$TOTAL\_IKEY\_COUNT\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$TOTAL\_KEY\_PATH\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$TOTAL\_PAGE\_PATH\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$TOTAL\_SPACE\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_RMU\$USED\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_ROUTINES . SQL  
 [ SWDBA . SFT ] SWDBA\_SEPARATE\_SOURCES . TPU  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_AREA\_SIZE\_BLOCKS\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_DIRECTORY\_CODE\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_DOMAIN\_NAME\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_FILE\_SPEC\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_GENERIC\_FLAG\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_GENERIC\_PERCENTAGE\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_INDEX\_CLUES\_MAP . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_INDEX\_CLUES\_TBL . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_INDEX\_NAME\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_LOGICAL\_SCHEMA\_VERSION\_MAP . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_LOGICAL\_SCHEMA\_VERSION\_TBL . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_PAGE\_SIZE\_BLOCKS\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_PHYSICAL\_SCHEMA\_VERSION\_MAP . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_PHYSICAL\_SCHEMA\_VERSION\_TBL . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_SCHEMA\_NAME\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_SIZE\_BYTES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_SIZE\_PAGES\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_STORAGE\_AREA\_CLUES\_MAP . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_STORAGE\_AREA\_CLUES\_TBL . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_STORAGE\_AREA\_DEFS\_MAP . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_STORAGE\_AREA\_DEFS\_TBL . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_STORAGE\_AREA\_NAME\_DOM . SQL  
 [ SWDBA . SFT ] SWDBA\_SWDBA\_STORAGE\_AREA\_TYPE\_DOM . SQL

[SWDBA.SFT]SWDBA\_SWDBA\_STORAGE\_AREA\_USAGE\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_SWDBA\_STORAGE\_MAP\_CLUES\_MAP.SQL  
 [SWDBA.SFT]SWDBA\_SWDBA\_STORAGE\_MAP\_CLUES\_TBL.SQL  
 [SWDBA.SFT]SWDBA\_SWDBA\_STORAGE\_MAP\_DEFS\_MAP.SQL  
 [SWDBA.SFT]SWDBA\_SWDBA\_STORAGE\_MAP\_DEFS\_TBL.SQL  
 [SWDBA.SFT]SWDBA\_SWDBA\_STORAGE\_MAP\_NAME\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_SWDBA\_TABLE\_NAME\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_SWDBA\_TIMESTAMP\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_SWDBA\_VERSION\_DOM.SQL  
 [SWDBA.SFT]SWDBA\_TABLES.SQL  
 [SWDBA.SFT]SWDBA\_TIDY\_METADATA.TPU  
 [SWDBA.SFT]SWDBA\_TIDY\_SQL.TPU  
 [SWDBA.SFT]SWDBA\_UPDATE\_V0100\_TO\_V0101.COM  
 [SWDBA.SFT]SWDBA\_UPDATE\_V0101\_TO\_V0102.COM  
 [SWDBA.SFT]SWDBA\_UPDATE\_\_TO\_V0100.COM  
 [SWDBA.SFT]SWDBA\_VIEWS.SQL  
 [SWDBA.SFT]SWDBA\_VUE\_DATABASE.VUE\$DAT

[SWDBA.TST]SWDBA\_TST\_BIGINT\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_BIGINT\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_BIGINT\_\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_CHAR\_150\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_CHAR\_1\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_CHAR\_255\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_CVT\_DATE\_TIME.COM  
 [SWDBA.TST]SWDBA\_TST\_DATABASE.EXE  
 [SWDBA.TST]SWDBA\_TST\_DATE\_ANSI\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_DATE\_VMS\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_DOUBLE\_PRECISION\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_EXTRACT.COM  
 [SWDBA.TST]SWDBA\_TST\_FLOAT\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_FLOAT\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_FUNCTION\_1\_RTN.SQL  
 [SWDBA.TST]SWDBA\_TST\_FUNCTION\_2\_RTN.SQL  
 [SWDBA.TST]SWDBA\_TST\_FUNCTION\_3\_RTN.SQL  
 [SWDBA.TST]SWDBA\_TST\_FUNCTION\_4\_RTN.SQL  
 [SWDBA.TST]SWDBA\_TST\_FUNCTION\_5\_RTN.SQL  
 [SWDBA.TST]SWDBA\_TST\_FUNCTION\_RTN.SQL  
 [SWDBA.TST]SWDBA\_TST\_INT\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_INT\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_INT\_\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_3\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_3\_TO\_HOUR\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_3\_TO\_MINUTE\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_3\_TO\_SECOND\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_3\_TO\_SECOND\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_TO\_HOUR\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_TO\_MINUTE\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_TO\_SECOND\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_DAY\_TO\_SECOND\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_HOUR\_3\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_HOUR\_3\_TO\_MINUTE\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_HOUR\_3\_TO\_SECOND\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_HOUR\_4\_TO\_SECOND\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_HOUR\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_HOUR\_TO\_MINUTE\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_HOUR\_TO\_SECOND\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_HOUR\_TO\_SECOND\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_MINUTE\_3\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_MINUTE\_3\_TO\_SECOND\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_MINUTE\_3\_TO\_SEC\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_MINUTE\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_MINUTE\_TO\_SECOND\_2\_DOM.SQL

[SWDBA.TST]SWDBA\_TST\_IVL\_MINUTE\_TO\_SECOND\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_MONTH\_3\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_MONTH\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_SECOND\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_SECOND\_3\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_SECOND\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_YEAR\_3\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_YEAR\_3\_TO\_MONTH\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_YEAR\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_IVL\_YEAR\_TO\_MONTH\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_LIST\_OF\_BYTE\_VARYING\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_LONG\_VARCHAR\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_MODULE\_MDLE.SQL  
 [SWDBA.TST]SWDBA\_TST\_NATIONAL\_CHAR\_1\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_NATIONAL\_CHAR\_255\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_NATIONAL\_CHAR\_VARYING\_255\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_OTHER\_TABLE\_MAP.SQL  
 [SWDBA.TST]SWDBA\_TST\_OTHER\_TABLE\_TBL.SQL  
 [SWDBA.TST]SWDBA\_TST\_PROCEDURE\_RTN.SQL  
 [SWDBA.TST]SWDBA\_TST\_REAL\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_SEQUENCE\_SEQ.SQL  
 [SWDBA.TST]SWDBA\_TST\_SMALLINT\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_SMALLINT\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_SMALLINT\_\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_DIDX.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_MAP.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_PIDX.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_PK.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_SIDX1.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_SIDX2.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_SIDX3.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_SIDX4.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_SIDX5.SQL  
 [SWDBA.TST]SWDBA\_TST\_TABLE\_TBL.SQL  
 [SWDBA.TST]SWDBA\_TST\_TIMESTAMP\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_TIMESTAMP\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_TIME\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_TIME\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_TINYINT\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_TINYINT\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_TINYINT\_\_2\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_VARCHAR\_255\_DOM.SQL  
 [SWDBA.TST]SWDBA\_TST\_VIEW\_VIEW.SQL

[SWDEV.DOC]SWDEVMMMS.TLB  
 [SWDEV.DOC]SWDEV\_DOCUMENTATION.MMS  
 [SWDEV.DOC]SWDEV\_DOMAINS.SQL  
 [SWDEV.DOC]SWDEV\_HELP.MMS  
 [SWDEV.DOC]SWDEV\_INDICES.SQL  
 [SWDEV.DOC]SWDEV\_MSGHLP.MMS  
 [SWDEV.DOC]SWDEV\_PROTECTIONS.SQL  
 [SWDEV.DOC]SWDEV\_TABLES.SQL  
 [SWDEV.DOC]SWDEV\_TASK\_LIST.MMS  
 [SWDEV.DOC]SWDEV\_TRIGGERS.SQL

```

[SWDEV.SFT]BOOT.COM
[SWDEV.SFT]DOC$DESIGNS.DAT
[SWDEV.SFT]ENTER.COM
[SWDEV.SFT]EXIT.COM
[SWDEV.SFT]GRANT.COM
[SWDEV.SFT]LOGICALS.COM
[SWDEV.SFT]RECOVER.COM
[SWDEV.SFT]REVOKE.COM
[SWDEV.SFT]SECURE.COM
[SWDEV.SFT]SECURE.SH
[SWDEV.SFT]SECURE_POST.COM
[SWDEV.SFT]SHUTDOWN.COM
[SWDEV.SFT]SWDEVCMDDEVSHR.EXE
[SWDEV.SFT]SWDEVCMSHR.EXE
[SWDEV.SFT]SWDEV_BUILD_APPLICATION.COM
[SWDEV.SFT]SWDEV_BUILD_CLEANUP.COM
[SWDEV.SFT]SWDEV_BUILD_COMPILE.COM
[SWDEV.SFT]SWDEV_BUILD_DISPLAY.COM
[SWDEV.SFT]SWDEV_BUILD_DOCUMENT.COM
[SWDEV.SFT]SWDEV_BUILD_FETCH.COM
[SWDEV.SFT]SWDEV_BUILD_FROM_SOURCE.COM
[SWDEV.SFT]SWDEV_BUILD_IMAGE_IDENTIFICATION.COM
[SWDEV.SFT]SWDEV_BUILD_KITBLD.COM
[SWDEV.SFT]SWDEV_BUILD_KITBLD_RELATED.COM
[SWDEV.SFT]SWDEV_BUILD_LSE.COM
[SWDEV.SFT]SWDEV_BUILD_PDF.COM
[SWDEV.SFT]SWDEV_BUILD_PRECLEAN.COM
[SWDEV.SFT]SWDEV_BUILD_RELATED.COM
[SWDEV.SFT]SWDEV_BUILD_RULES.COM
[SWDEV.SFT]SWDEV_BUILD_SCAN.COM
[SWDEV.SFT]SWDEV_BUILD_SCANGEN.COM
[SWDEV.SFT]SWDEV_BUILD_SETUP.COM
[SWDEV.SFT]SWDEV_BUILD_SETUP.MMS
[SWDEV.SFT]SWDEV_BUILD_TAG.COM
[SWDEV.SFT]SWDEV_BUILD_TIDY.COM
[SWDEV.SFT]SWDEV_BUILD_UPDATE.COM
[SWDEV.SFT]SWDEV_BUILD_WEB_SITE_INDEX.PL
[SWDEV.SFT]SWDEV_BUILD_WEB_SITE_INDEX.PM
[SWDEV.SFT]SWDEV_CHGCTL_MENU.COM
[SWDEV.SFT]SWDEV_CLEANUP_CMS_CLASS.COM
[SWDEV.SFT]SWDEV_COPY_CMS_LIBRARY.COM
[SWDEV.SFT]SWDEV_CREATE_MACRO_OBJECT.COM
[SWDEV.SFT]SWDEV_CVT_3GL_TO_MMS.TEC
[SWDEV.SFT]SWDEV_CVT_BAS_TO_MMS.TEC
[SWDEV.SFT]SWDEV_CVT_COL_TO_MMS.TEC
[SWDEV.SFT]SWDEV_CVT_CRL_IND_TO_MMS.TEC
[SWDEV.SFT]SWDEV_CVT_CRL_TO_MMS.TEC
[SWDEV.SFT]SWDEV_CVT_DOS_DIR_LST_TO_DIN.TEC
[SWDEV.SFT]SWDEV_CVT_FIL_LST_TO_SDML_INC.TEC
[SWDEV.SFT]SWDEV_CVT_GEN_C_TO_OPT.COM
[SWDEV.SFT]SWDEV_CVT_GEN_EXE_TO_OPT.COM
[SWDEV.SFT]SWDEV_CVT_GEN_RLB_TO_IFDL.COM
[SWDEV.SFT]SWDEV_CVT_INX_LIST_TO_MMS.TEC
[SWDEV.SFT]SWDEV_CVT_LOG_TO_ERR_EXCEPTIONS.TXT
[SWDEV.SFT]SWDEV_CVT_POD_TO_HLP.PL
[SWDEV.SFT]SWDEV_CVT_RDB_TO.COM
[SWDEV.SFT]SWDEV_CVT_RDOFLD_TO_CDO.TEC
[SWDEV.SFT]SWDEV_CVT_RDOREL_TO_CDO.TEC
[SWDEV.SFT]SWDEV_CVT_RDO_TO_CDO.TEC
[SWDEV.SFT]SWDEV_CVT_REC_TO_MMS.TEC
[SWDEV.SFT]SWDEV_CVT_SQLDOMLST_TO_TXT.TEC
[SWDEV.SFT]SWDEV_CVT_SQLDOMTXT_TO_CDORDO.TEC
[SWDEV.SFT]SWDEV_CVT_SQLDOMTXT_TO_SQL.TEC
[SWDEV.SFT]SWDEV_CVT_SQLDOM_TO_CDORDO.TEC
[SWDEV.SFT]SWDEV_CVT_SQLTBLST_TO_TXT.TEC
[SWDEV.SFT]SWDEV_CVT_SQLTBLTXT_TO_CDO.TEC

```

```

[SWDEV.SFT]SWDEV_CVT_SQLTBLTXT_TO_COB.TEC
[SWDEV.SFT]SWDEV_CVT_SQLTBLTXT_TO_FROM.TEC
[SWDEV.SFT]SWDEV_CVT_SQLTBLTXT_TO_RDO.TEC
[SWDEV.SFT]SWDEV_CVT_SQLTBLTXT_TO_SQL.TEC
[SWDEV.SFT]SWDEV_CVT_SQLTBLTXT_TO_TO.TEC
[SWDEV.SFT]SWDEV_CVT_UIL_TO_MMS.TEC
[SWDEV.SFT]SWDEV_DELETE_UNCHANGED.COM
[SWDEV.SFT]SWDEV_DEVTOOLS.EXE
[SWDEV.SFT]swdev_devtools_section.tpu$section
[SWDEV.SFT]SWDEV_EVE.INI
[SWDEV.SFT]SWDEV_EVE.init
[SWDEV.SFT]SWDEV_EVE.list
[SWDEV.SFT]SWDEV_EVE.TPU$SECTION
[SWDEV.SFT]SWDEV_EVE_CALLUSER.EXE
[SWDEV.SFT]SWDEV_LSE.ENV
[SWDEV.SFT]SWDEV_LSE.INI
[SWDEV.SFT]SWDEV_LSE.TPU$SECTION
[SWDEV.SFT]SWDEV_MMS_RULES.MMS
[SWDEV.SFT]SWDEV_PURGE_CDD.COM
[SWDEV.SFT]SWDEV_PURGE_CDD_CVT.TPU
[SWDEV.SFT]SWDEV_SRCCTL_MENU.COM
[SWDEV.SFT]SWDEV_UPDATE_CMS_LIBRARY.COM
[SWDEV.SFT]SWDEV_VERY_OLD_FILE.BCK
[SWDEV.SFT]SWDEV_VERY_OLD_FILE.TXT
[SWDEV.SFT]SWDEV_VSNCTL_MENU.COM
[SWDEV.SFT]SWDEV_VUE_DEVELOPER.VUE$DAT
[SWDEV.SFT]SWDEV__TSTCTL_MENU.COM
[SWDEV.SFT]TAG$ONLINE_TAGS.STT
[SWDEV.SFT]TEX$A_SPD.DESIGN
[SWDEV.SFT]TEX$HELP.DESIGN
[SWDEV.SFT]TEX$OVERHEADS.DESIGN
[SWDEV.SFT]TEX$$_ONLINE.DESIGN
[SWDEV.SFT]TEX$$_REFERENCE.DESIGN

```

```

[SWDEV.TST]SWDEV_TST_CHANGE_SEARCH.COM
[SWDEV.TST]SWDEV_TST_CMS.COM
[SWDEV.TST]SWDEV_TST_DELETE.COM
[SWDEV.TST]SWDEV_TST_DIFFERENCES_DATES.COM
[SWDEV.TST]SWDEV_TST_ENTAB.COM
[SWDEV.TST]SWDEV_TST_PREPROCESS.COM
[SWDEV.TST]SWDEV_TST_REFORMAT.COM
[SWDEV.TST]SWDEV_TST_RENAME.COM

```

[SWDOC.DOC]DEFAULT.HTML  
 [SWDOC.DOC]LIBRARY.DECW\$BOOKSHELF  
 [SWDOC.DOC]SWDOCHLP.HLB  
 [SWDOC.DOC]SWDOCMSGHLP.MSGHLP\$DATA  
 [SWDOC.DOC]SWDOC\_ACCREG\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE.decw\$book  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE.DECW\$BOOKSHELF  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE.HTML  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE.PDF  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE.PS  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE\_001.HTML  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE\_002.HTML  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE\_003.HTML  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE\_CONTENTS.HTML  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE\_CONTENTS\_001.HTML  
 [SWDOC.DOC]SWDOC\_ADMINISTRATION\_GDE\_INDEX.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE.decw\$book  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE.DECW\$BOOKSHELF  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE.PDF  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE.PS  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_001.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_002.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_003.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_004.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_005.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_006.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_007.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_008.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_009.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_010.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_CONTENTS.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_CONTENTS\_001.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_INDEX.HTML  
 [SWDOC.DOC]SWDOC\_APPL\_DEV\_GDE\_INDEX\_001.HTML  
 [SWDOC.DOC]SWDOC\_CHGCTL\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF.decw\$book  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF.DECW\$BOOKSHELF  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF.PDF  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF.PS  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_001.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_002.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_003.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_004.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_005.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_006.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_007.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_008.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_009.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_010.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_011.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_012.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_013.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_014.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_015.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_016.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_017.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_018.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_019.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_020.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_021.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_022.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_023.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_024.HTML  
 [SWDOC.DOC]SWDOC\_COMMAND\_REF\_025.HTML

[SWDOC.DOC]SWDOC\_COMMAND\_REF\_026.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_027.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_028.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_029.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_030.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_031.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_CONTENTS.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_CONTENTS\_001.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_INDEX.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_INDEX\_001.HTML  
[SWDOC.DOC]SWDOC\_COMMAND\_REF\_INDEX\_002.HTML  
[SWDOC.DOC]SWDOC\_DISKS\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_DISKS\_WIDE\_FIG\_EXP\_PS.GIF  
[SWDOC.DOC]SWDOC\_DSKDEV\_TYP\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_DSKDEV\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_DSKMED\_FMT\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_DSKMED\_TYP\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_DSKMED\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_DSKVOL\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_EQPMNU\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_EQUIPMENT\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_EQUIP\_CLASS\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_EQUIP\_TYPE\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_INSTALL\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_ITEM\_LIST\_3\_FIG\_EXP.GIF  
[SWDOC.DOC]SWDOC\_LICENSES\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_LOCATION\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_LOCDSP\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_LOCTYPE\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_LOGDSK\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_LOGSUBDSK\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_MASTER\_IDX.PDF  
[SWDOC.DOC]SWDOC\_MASTER\_IDX.PS  
[SWDOC.DOC]SWDOC\_MERGE\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF.PDF  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF.PS  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_001.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_002.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_003.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_004.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_005.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_006.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_007.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_008.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_009.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_010.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_011.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_012.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_013.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_014.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_015.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_016.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_017.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_018.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_019.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_020.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_021.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_022.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_023.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_024.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_025.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_026.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_027.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_028.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_029.HTML

[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_030.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_031.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_032.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_033.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_034.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_035.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_036.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_CONTENTS.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_CONTENTS\_001.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_CONTENTS\_002.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_INDEX.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_INDEX\_001.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_INDEX\_002.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_INDEX\_003.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_INDEX\_004.HTML  
[SWDOC.DOC]SWDOC\_OBJECT\_MODEL\_REF\_INDEX\_005.HTML  
[SWDOC.DOC]SWDOC\_PAKS\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_PRODUCTS\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_PRTCTL\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_PRTDSP\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_PRTFRMREG\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_PRTREG\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_PRTSTKREG\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_PRTTYPREG\_MENU\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF.decw\$book  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF.DECW\$BOOKSHELF  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF.HTML  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF.PDF  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF.PS  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF\_001.HTML  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF\_002.HTML  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF\_CONTENTS.HTML  
[SWDOC.DOC]SWDOC\_REFERENCE\_DATA\_REF\_INDEX.HTML  
[SWDOC.DOC]SWDOC\_RELEASE\_75\_FIG.GIF  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF.decw\$book  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF.DECW\$BOOKSHELF  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF.PDF  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF.PS  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_001.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_002.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_003.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_004.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_005.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_006.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_007.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_008.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_009.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_010.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_011.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_012.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_013.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_014.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_015.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_016.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_017.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_018.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_019.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_020.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_021.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_CONTENTS.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_CONTENTS\_001.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_INDEX.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_INDEX\_001.HTML  
[SWDOC.DOC]SWDOC\_ROUTINES\_REF\_INDEX\_002.HTML  
[SWDOC.DOC]SWDOC\_SM\_MANAGE\_SYSMGR\_75\_FIG.GIF

[SWDOC.DOC]SWDOC\_SOFTWARE\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_SPLIT\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_SRCCTL\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_SRCCTL\_MENU\_P2\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_STORAGE\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_SYSSUSRCLS\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_ADMINISTRATOR.DECW\$BOOKSHELF  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_ADMIN\_SPD.PDF  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_ADMIN\_SPD.PS  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_BASE\_SPD.PDF  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_BASE\_SPD.PS  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_DEVELOPER.DECW\$BOOKSHELF  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_DEV\_SPD.PDF  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_DEV\_SPD.PS  
 [SWDOC.DOC]SWDOC\_SYSWORKS\_USER.DECW\$BOOKSHELF  
 [SWDOC.DOC]SWDOC\_TAPDEVTYP\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TAPDEV\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TAPES\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TAPE\_POOL\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TAPE\_VOLUME\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TAPMEDTYP\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TAPMED\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TRIAL\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TRIAL\_FDEV\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TRMMNU\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TRMREG\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TRMSRVREG\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TRMSRVTYPREG\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TRMTYPREG\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_TUTORIAL\_OVH.PDF  
 [SWDOC.DOC]SWDOC\_TUTORIAL\_OVH.PS  
 [SWDOC.DOC]SWDOC\_USER\_GDE.decw\$book  
 [SWDOC.DOC]SWDOC\_USER\_GDE.DECW\$BOOKSHELF  
 [SWDOC.DOC]SWDOC\_USER\_GDE.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE.PDF  
 [SWDOC.DOC]SWDOC\_USER\_GDE.PS  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_001.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_002.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_003.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_004.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_005.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_006.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_007.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_008.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_009.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_CONTENTS.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_CONTENTS\_001.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_INDEX.HTML  
 [SWDOC.DOC]SWDOC\_USER\_GDE\_INDEX\_001.HTML  
 [SWDOC.DOC]SWDOC\_USRREG\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_VSNCTL\_LEGEND\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_VSNCTL\_MENU\_75\_FIG.GIF  
 [SWDOC.DOC]SWDOC\_VSNCTL\_MENU\_P2\_75\_FIG.GIF

[SWDOC.SFT]BOOT.COM  
 [SWDOC.SFT]ENTER.COM  
 [SWDOC.SFT]EXIT.COM  
 [SWDOC.SFT]GRANT.COM  
 [SWDOC.SFT]LOGICALS.COM  
 [SWDOC.SFT]MIME.TYPES  
 [SWDOC.SFT]RECOVER.COM  
 [SWDOC.SFT]REVOKE.COM  
 [SWDOC.SFT]SECURE.COM  
 [SWDOC.SFT]SHUTDOWN.COM

[SWEXA.DOC]SWEXAHL.P.HLB  
[SWEXA.DOC]SWEXA035.RELEASE\_NOTES  
[SWEXA.DOC]SWEXA035\_RELEASE\_NOTES.decw\$book  
[SWEXA.DOC]SWEXA035\_RELEASE\_NOTES.DECW\$BOOKSHELF  
[SWEXA.DOC]SWEXA035\_RELEASE\_NOTES.HTML  
[SWEXA.DOC]SWEXA035\_RELEASE\_NOTES.PS  
[SWEXA.DOC]SWEXA035\_RELEASE\_NOTES\_CONTENTS.HTML  
[SWEXA.DOC]SWEXA035\_RELEASE\_NOTES\_INDEX.HTML  
[SWEXA.DOC]SWEXA\_SHELF.DECW\$BOOKSHELF

[SWEXA.SFT]BOOT.COM  
[SWEXA.SFT]DIRECTORIES.COM  
[SWEXA.SFT]ENTER.COM  
[SWEXA.SFT]EXIT.COM  
[SWEXA.SFT]GRANT.COM  
[SWEXA.SFT]HELLO\_WORLD\_ADA.EXE  
[SWEXA.SFT]HELLO\_WORLD\_BAS.EXE  
[SWEXA.SFT]HELLO\_WORLD\_C.EXE  
[SWEXA.SFT]HELLO\_WORLD\_COB.EXE  
[SWEXA.SFT]HELLO\_WORLD\_CXX.EXE  
[SWEXA.SFT]HELLO\_WORLD\_FOR.EXE  
[SWEXA.SFT]HELLO\_WORLD\_JAVA.CLASS  
[SWEXA.SFT]HELLO\_WORLD\_MAR.EXE  
[SWEXA.SFT]HELLO\_WORLD\_PAS.EXE  
[SWEXA.SFT]HELLO\_WORLD\_PLI.EXE  
[SWEXA.SFT]LOGICALS.COM  
[SWEXA.SFT]MENU.COM  
[SWEXA.SFT]RECOVER.COM  
[SWEXA.SFT]REVOKE.COM  
[SWEXA.SFT]SECURE.COM  
[SWEXA.SFT]SHUTDOWN.COM  
[SWEXA.SFT]START.COM  
[SWEXA.SFT]STOP.COM  
[SWEXA.SFT]SWEXALIB.OLB  
[SWEXA.SFT]SWEXAMSG.EXE  
[SWEXA.SFT]SWEXASYM.OLB  
[SWEXA.SFT]SWEXA\_DATABASE.RBF  
[SWEXA.SFT]SWEXA\_DATABASE.RBR  
[SWEXA.SFT]SWEXA\_DATABASE.SQL  
[SWEXA.SFT]SWEXA\_FAX\_ACCOUNTING.FDL  
[SWEXA.SFT]SWEXA\_FAX\_ACCOUNTING\_RPT.EXE  
[SWEXA.SFT]SWEXA\_MESSAGES.H

[SWEXA.TST]SWEXA\_TST\_EXH.COM  
[SWEXA.TST]SWEXA\_TST\_EXH.EXE  
[SWEXA.TST]SWEXA\_TST\_HELLO\_WORLD.COM

[SWPUB.DOC]BTRFLYFS.GIF  
[SWPUB.DOC]CHALLENGER.GIF  
[SWPUB.DOC]CITYMELB.GIF  
[SWPUB.DOC]COYOTE.GIF  
[SWPUB.DOC]EILEAN\_D.GIF  
[SWPUB.DOC]LUSH1.GIF  
[SWPUB.DOC]MARS.GIF  
[SWPUB.DOC]PENGUINS.GIF  
[SWPUB.DOC]PERL.POD  
[SWPUB.DOC]PERLBOOK.POD  
[SWPUB.DOC]PERLBOT.POD  
[SWPUB.DOC]PERLCALL.POD  
[SWPUB.DOC]PERLDATA.POD  
[SWPUB.DOC]PERLDEBUG.POD  
[SWPUB.DOC]PERLDIAG.POD  
[SWPUB.DOC]PERLDSC.POD  
[SWPUB.DOC]PERLEMBED.POD  
[SWPUB.DOC]PERLFORM.POD  
[SWPUB.DOC]PERLFUNC.POD  
[SWPUB.DOC]PERLGUTS.POD  
[SWPUB.DOC]PERLIPC.POD  
[SWPUB.DOC]PERLLOL.POD  
[SWPUB.DOC]PERLMOD.POD  
[SWPUB.DOC]PERLOBJ.POD  
[SWPUB.DOC]PERLOP.POD  
[SWPUB.DOC]PERLOVL.POD  
[SWPUB.DOC]PERLPOD.POD  
[SWPUB.DOC]PERLRE.POD  
[SWPUB.DOC]PERLREF.POD  
[SWPUB.DOC]PERLRUN.POD  
[SWPUB.DOC]PERLSEC.POD  
[SWPUB.DOC]PERLSTYLE.POD  
[SWPUB.DOC]PERLSUB.POD  
[SWPUB.DOC]PERLSYN.POD  
[SWPUB.DOC]PERLTIE.POD  
[SWPUB.DOC]PERLTOC.POD  
[SWPUB.DOC]PERLTRAP.POD  
[SWPUB.DOC]PERLVAR.POD  
[SWPUB.DOC]PERLVMS.POD  
[SWPUB.DOC]PERLXS.POD  
[SWPUB.DOC]PERLXSTUT.POD  
[SWPUB.DOC]SWPUBHLP.HLB  
[SWPUB.DOC]SWPUB\_SHELF.DECW\$BOOKSHELF

[SWPUB.SFT]ANIMATE\_MAIN.EXE  
[SWPUB.SFT]BOOKFILE\_DEMO.EXE  
[SWPUB.SFT]BOOT.COM  
[SWPUB.SFT]BUNZIP2.EXE  
[SWPUB.SFT]BZCAT.EXE  
[SWPUB.SFT]BZIP2.EXE  
[SWPUB.SFT]BZIP2SHR.EXE  
[SWPUB.SFT]COMBINE\_MAIN.EXE  
[SWPUB.SFT]CONVERT\_MAIN.EXE  
[SWPUB.SFT]DIRECTORIES.COM  
[SWPUB.SFT]DISPLAY\_MAIN.EXE  
[SWPUB.SFT]ENTER.COM  
[SWPUB.SFT]EXIT.COM  
[SWPUB.SFT]FUNCTIONS.PM  
[SWPUB.SFT]GENERATE\_GRP.EXE  
[SWPUB.SFT]GRANT.COM  
[SWPUB.SFT]GUNZIP.EXE  
[SWPUB.SFT]GZIP.EXE  
[SWPUB.SFT]IDENTIFY\_MAIN.EXE  
[SWPUB.SFT]IMPORT\_MAIN.EXE  
[SWPUB.SFT]LIBBZ2.EXE  
[SWPUB.SFT]LOGICALS.COM  
[SWPUB.SFT]MAGICKSHR.EXE  
[SWPUB.SFT]MINIPERL.EXE  
[SWPUB.SFT]MKISOFS.EXE  
[SWPUB.SFT]MOGRIFY\_MAIN.EXE  
[SWPUB.SFT]MONTAGE\_MAIN.EXE  
[SWPUB.SFT]NC.EXE  
[SWPUB.SFT]NEDIT.EXE  
[SWPUB.SFT]PERL.EXE  
[SWPUB.SFT]PERL.POD  
[SWPUB.SFT]PERLBOOK.POD  
[SWPUB.SFT]PERLBOT.POD  
[SWPUB.SFT]PERLCALL.POD  
[SWPUB.SFT]PERLDATA.POD  
[SWPUB.SFT]PERLDEBUG.POD  
[SWPUB.SFT]PERLDIAG.POD  
[SWPUB.SFT]PERLDOC.  
[SWPUB.SFT]PERLDSC.POD  
[SWPUB.SFT]PERLEMBED.POD  
[SWPUB.SFT]PERLFORM.POD  
[SWPUB.SFT]PERLFUNC.POD  
[SWPUB.SFT]PERLGUTS.POD  
[SWPUB.SFT]PERLIPC.POD  
[SWPUB.SFT]PERLLOL.POD  
[SWPUB.SFT]PERLMOD.POD  
[SWPUB.SFT]PERLOBJ.POD  
[SWPUB.SFT]PERLOP.POD  
[SWPUB.SFT]PERLOVL.POD  
[SWPUB.SFT]PERLPOD.POD  
[SWPUB.SFT]PERLRE.POD  
[SWPUB.SFT]PERLREF.POD  
[SWPUB.SFT]PERLRUN.POD  
[SWPUB.SFT]PERLSEC.POD  
[SWPUB.SFT]PERLSHR.EXE  
[SWPUB.SFT]PERLSTYLE.POD  
[SWPUB.SFT]PERLSUB.POD  
[SWPUB.SFT]PERLSYN.POD  
[SWPUB.SFT]PERLTIE.POD  
[SWPUB.SFT]PERLTOC.POD  
[SWPUB.SFT]PERLTRAP.POD  
[SWPUB.SFT]PERLVAR.POD  
[SWPUB.SFT]PERLVMS.POD  
[SWPUB.SFT]PERLXS.POD  
[SWPUB.SFT]PERLXSTUT.POD  
[SWPUB.SFT]POD2HLB.

[SWPUB.SFT]POD2HLP.  
[SWPUB.SFT]POD2HTML.  
[SWPUB.SFT]POD2LATEX.  
[SWPUB.SFT]POD2MAN.  
[SWPUB.SFT]POD2RNO.  
[SWPUB.SFT]POD2TEXT.  
[SWPUB.SFT]POD2USAGE.  
[SWPUB.SFT]PYTHON.EXE  
[SWPUB.SFT]PYTHONSHR.EXE  
[SWPUB.SFT]RECOVER.COM  
[SWPUB.SFT]REVOKE.COM  
[SWPUB.SFT]SECURE.COM  
[SWPUB.SFT]SHOW\_POWER.EXE  
[SWPUB.SFT]SHUTDOWN.COM  
[SWPUB.SFT]SWPUBCMDIFRDBSHR.EXE  
[SWPUB.SFT]SWPUBLIB.OLB  
[SWPUB.SFT]SWPUBMSG.EXE  
[SWPUB.SFT]SWPUB\_1.COM  
[SWPUB.SFT]SWPUB\_4.COM  
[SWPUB.SFT]SWPUB\_5.COM  
[SWPUB.SFT]SWPUB\_CPU\_LOAD.EXE  
[SWPUB.SFT]SWPUB\_EXECUTE.COM  
[SWPUB.SFT]SWPUB\_IMPORT\_SOURCES.COM  
[SWPUB.SFT]SWPUB\_LOGIN.COM  
[SWPUB.SFT]SWPUB\_SHUTDOWN.COM  
[SWPUB.SFT]SWPUB\_STARTUP.COM  
[SWPUB.SFT]SWPUB\_VUE\_BACKGROUNDS.VUE\$DAT  
[SWPUB.SFT]TEXT.PM  
[SWPUB.SFT]UNZIP.EXE  
[SWPUB.SFT]VMSTAR.EXE  
[SWPUB.SFT]WEBBOOK.EXE  
[SWPUB.SFT]XBIGMOON.EXE  
[SWPUB.SFT]XEYES.EXE  
[SWPUB.SFT]XFISH.EXE  
[SWPUB.SFT]XGRANITE.EXE  
[SWPUB.SFT]XLOADIMAGE.EXE  
[SWPUB.SFT]XMAZE.EXE  
[SWPUB.SFT]XPHOON.EXE  
[SWPUB.SFT]XV.EXE  
[SWPUB.SFT]ZCAT.EXE  
[SWPUB.SFT]ZIP.EXE  
[SWPUB.SFT]ZIPCLOAK.EXE  
[SWPUB.SFT]ZIPNOTE.EXE  
[SWPUB.SFT]ZIPSPLIT.EXE  
[SWPUB.SFT]ZLIBSHR.EXE

[SWPUB.TST]SWPUB\_TST\_COPY.EXE

[SWRK.DOC]SWRK035.RELEASE\_NOTES  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS.decw\$book  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS.DECW\$BOOKSHELF  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS.HTML  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS.PDF  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS.PS  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS.TXT  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS\_001.HTML  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS\_002.HTML  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS\_003.HTML  
 [SWRK.DOC]SWRK035\_INSTALLATION\_INS\_CONTENTS.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES.decw\$book  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES.DECW\$BOOKSHELF  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES.PDF  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES.PS  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_001.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_002.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_003.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_004.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_005.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_CONTENTS.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_CONTENTS\_001.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_INDEX.HTML  
 [SWRK.DOC]SWRK035\_RELEASE\_NOTES\_INDEX\_001.HTML  
 [SWRK.DOC]SWRK\_LOGOS\_SYSWORKS\_FULL\_140\_105.GIF

[SWRK.SFT]A1MAIL\$PROFILE\_TEMPLATE\_SYSWORKS.DAT  
 [SWRK.SFT]AUTOEXEC.BAT  
 [SWRK.SFT]BNU.DAT  
 [SWRK.SFT]BOOT-APPL\_ENVR.TEMPLATE  
 [SWRK.SFT]BOOT-GROUP.TEMPLATE  
 [SWRK.SFT]BOOT.COM  
 [SWRK.SFT]CMS\$DW\_DEFAULTS.DAT  
 [SWRK.SFT]CONFIG.SYS  
 [SWRK.SFT]DECW\$BOOKREADER.DAT  
 [SWRK.SFT]DECW\$CALC.DAT  
 [SWRK.SFT]DECW\$CARDFILER-VAX\_4400.DAT  
 [SWRK.SFT]DECW\$CARDFILER-VAX\_4XXX.DAT  
 [SWRK.SFT]DECW\$CARDFILER.DAT  
 [SWRK.SFT]DECW\$CLOCK.DAT  
 [SWRK.SFT]DECW\$MAIL-VAX\_4400.DAT  
 [SWRK.SFT]DECW\$MAIL-VAX\_4XXX.DAT  
 [SWRK.SFT]DECW\$MAIL.DAT  
 [SWRK.SFT]DECW\$MESSAGEPANEL-VAX\_4400.DAT  
 [SWRK.SFT]DECW\$MESSAGEPANEL-VAX\_4XXX.DAT  
 [SWRK.SFT]DECW\$MESSAGEPANEL.DAT  
 [SWRK.SFT]DECW\$MWM.DAT  
 [SWRK.SFT]DECW\$SMB\_LANGUAGE.DAT  
 [SWRK.SFT]DECW\$SYLOGIN.COM  
 [SWRK.SFT]DECW\$TERMINAL\_DEFAULT-VAX\_4400.DAT  
 [SWRK.SFT]DECW\$TERMINAL\_DEFAULT-VAX\_4XXX.DAT  
 [SWRK.SFT]DECW\$TERMINAL\_DEFAULT.DAT  
 [SWRK.SFT]DEINSTALL.COM  
 [SWRK.SFT]DESCRIP.TEMPLATE  
 [SWRK.SFT]DFX\$DECW\_OPR.DAT  
 [SWRK.SFT]DTM\$DW\_DEFAULTS.DAT  
 [SWRK.SFT]ENTER.COM  
 [SWRK.SFT]ENTER.TEMPLATE  
 [SWRK.SFT]ENTER\_1.COM  
 [SWRK.SFT]EXIT.COM  
 [SWRK.SFT]EXIT.TEMPLATE  
 [SWRK.SFT]EXIT\_1.COM  
 [SWRK.SFT]GRANT-APPL\_ENVR.TEMPLATE

[SWRK.SFT]GRANT-GROUP.TEMPLATE  
 [SWRK.SFT]GRANT.COM  
 [SWRK.SFT]HOME.TEMPLATE  
 [SWRK.SFT]INSTALL.SH  
 [SWRK.SFT]KITINSTAL.TEMPLATE  
 [SWRK.SFT]LOGICALS-APPL\_ENVR.TEMPLATE  
 [SWRK.SFT]LOGICALS-GROUP.TEMPLATE  
 [SWRK.SFT]LOGICALS.COM  
 [SWRK.SFT]LOGIN-SWRKSRVR.COM  
 [SWRK.SFT]LOGIN-SYSTEM.COM  
 [SWRK.SFT]LOGIN.BAT  
 [SWRK.SFT]LOGIN.TEMPLATE  
 [SWRK.SFT]LOGOUT.BAT  
 [SWRK.SFT]LSE\$DEFAULTS.DAT  
 [SWRK.SFT]MENU-APPL\_ENVR.TEMPLATE  
 [SWRK.SFT]MENU-GROUP.TEMPLATE  
 [SWRK.SFT]NETLOGON.BAT  
 [SWRK.SFT]NOTES\$DEFAULTS.DAT  
 [SWRK.SFT]PCSETUP.BAT  
 [SWRK.SFT]PHP\_SWRK.EXE  
 [SWRK.SFT]RECOVER-APPL\_ENVR.TEMPLATE  
 [SWRK.SFT]RECOVER-GROUP.TEMPLATE  
 [SWRK.SFT]RECOVER.COM  
 [SWRK.SFT]REVOKE-APPL\_ENVR.TEMPLATE  
 [SWRK.SFT]REVOKE-GROUP.TEMPLATE  
 [SWRK.SFT]REVOKE.COM  
 [SWRK.SFT]RULES.TEMPLATE  
 [SWRK.SFT]SECURE-APPL\_ENVR.TEMPLATE  
 [SWRK.SFT]SECURE-GROUP.TEMPLATE  
 [SWRK.SFT]SECURE.COM  
 [SWRK.SFT]SECURE.SH  
 [SWRK.SFT]SECURE\_POST.COM  
 [SWRK.SFT]SECURE\_PRE.COM  
 [SWRK.SFT]SHUTDOWN-APPL\_ENVR.TEMPLATE  
 [SWRK.SFT]SHUTDOWN-GROUP.TEMPLATE  
 [SWRK.SFT]SHUTDOWN.COM  
 [SWRK.SFT]START.TEMPLATE  
 [SWRK.SFT]STOP.TEMPLATE  
 [SWRK.SFT]SWRKLIB.OLB  
 [SWRK.SFT]SWRKMAC.MLB  
 [SWRK.SFT]SWRKMSG.EXE  
 [SWRK.SFT]SWRKNETCMD.COM  
 [SWRK.SFT]SWRKNETPWD.COM  
 [SWRK.SFT]SWRKRDBSHR.EXE  
 [SWRK.SFT]SWRKSHR.EXE  
 [SWRK.SFT]SWRKSHRPRV.EXE  
 [SWRK.SFT]SWRKSYM.OLB  
 [SWRK.SFT]SWRK\_ACCEPT\_SYMBOL.EXE  
 [SWRK.SFT]SWRK\_ACCEPT\_SYMBOL.UID  
 [SWRK.SFT]SWRK\_ACCEPT\_SYMBOL\_DECW.EXE  
 [SWRK.SFT]SWRK\_ADD\_LIBRARY.COM  
 [SWRK.SFT]SWRK\_APPL\_FUNCTIONS.COM\_APP  
 [SWRK.SFT]SWRK\_APPL\_KITINSTAL\_FUNCTIONS.COM\_APP  
 [SWRK.SFT]SWRK\_APPL\_MENU\_FUNCTIONS.COM\_APP  
 [SWRK.SFT]SWRK\_APPL\_NET\_FUNCTIONS.COM\_APP  
 [SWRK.SFT]SWRK\_APPUSR\_MENU.COM  
 [SWRK.SFT]SWRK\_ARCHITECTURE.H  
 [SWRK.SFT]SWRK\_ASSOCIATION.H  
 [SWRK.SFT]SWRK\_ASSOCIATION\_DEF.H  
 [SWRK.SFT]SWRK\_ASTY\_DEF.H  
 [SWRK.SFT]SWRK\_ATTACH.COM  
 [SWRK.SFT]SWRK\_ATTACH\_VERB.CLD\_APP  
 [SWRK.SFT]SWRK\_AUTY\_DEF.H  
 [SWRK.SFT]SWRK\_BASE.H  
 [SWRK.SFT]SWRK\_BASE.PM  
 [SWRK.SFT]SWRK\_BASE\_CNTR.DAT

[SWRK.SFT]SWRK\_BASE\_DEF.H  
 [SWRK.SFT]SWRK\_BASE\_MENU\_OBJT.DAT  
 [SWRK.SFT]SWRK\_BASE\_OBJT.DAT  
 [SWRK.SFT]SWRK\_BASE\_SYSTEM\_ASCN.DAT  
 [SWRK.SFT]SWRK\_BASE\_SYSTEM\_CNTR.DAT  
 [SWRK.SFT]SWRK\_BASE\_SYSTEM\_OBJT.DAT  
 [SWRK.SFT]SWRK\_BINARY\_SEARCH.H  
 [SWRK.SFT]SWRK\_BITMAP.H  
 [SWRK.SFT]SWRK\_BLOCK.H  
 [SWRK.SFT]SWRK\_CDO.INI  
 [SWRK.SFT]SWRK\_CHECK\_DIGIT.H  
 [SWRK.SFT]SWRK\_CHECK\_SYSTEM.COM  
 [SWRK.SFT]SWRK\_CHECK\_VMS\_TEMPLATES.COM  
 [SWRK.SFT]SWRK\_CLASS.H  
 [SWRK.SFT]SWRK\_CLASS\_DEF.H  
 [SWRK.SFT]SWRK\_CLIENT.H  
 [SWRK.SFT]SWRK\_CNFM\_DEF.H  
 [SWRK.SFT]SWRK\_CNFT\_DEF.H  
 [SWRK.SFT]SWRK\_CNTY\_DEF.H  
 [SWRK.SFT]SWRK\_COMM.H  
 [SWRK.SFT]SWRK\_COMMON.OPT\_APP  
 [SWRK.SFT]SWRK\_COMMON.TPU  
 [SWRK.SFT]SWRK\_COMMON\_WRAPPER.TPU  
 [SWRK.SFT]SWRK\_COMM\_MESSAGES.H  
 [SWRK.SFT]SWRK\_COMPARE\_DOS\_DIR\_LST.COM  
 [SWRK.SFT]SWRK\_COMPUTER\_NODE.H  
 [SWRK.SFT]SWRK\_CONTEXT.H  
 [SWRK.SFT]SWRK\_CONTEXT.PM  
 [SWRK.SFT]SWRK\_CONVERT\_RDB\_DATABASES.COM  
 [SWRK.SFT]SWRK\_COUNTER.H  
 [SWRK.SFT]SWRK\_CREATE\_ISO9660.COM  
 [SWRK.SFT]SWRK\_CREATE\_PROCESS.EXE  
 [SWRK.SFT]SWRK\_CUTS\_DEF.H  
 [SWRK.SFT]SWRK\_CUTY\_DEF.H  
 [SWRK.SFT]SWRK\_CVT\_CDO\_TO\_CDDL.TEC  
 [SWRK.SFT]SWRK\_CVT\_MENU\_COM\_TO\_DAT.COM  
 [SWRK.SFT]SWRK\_CVT\_MENU\_COM\_TO\_DAT.TPU  
 [SWRK.SFT]SWRK\_CVT\_STRING\_TO\_OWNER.H  
 [SWRK.SFT]SWRK\_CVT\_SRC\_TO\_TRG.COM  
 [SWRK.SFT]SWRK\_C\_HEADER\_BEGIN.H  
 [SWRK.SFT]SWRK\_C\_HEADER\_END.H  
 [SWRK.SFT]SWRK\_DATE\_TIME.H  
 [SWRK.SFT]SWRK\_DBG.INI  
 [SWRK.SFT]SWRK\_DCFT\_DEF.H  
 [SWRK.SFT]SWRK\_DCL\_HANDLER.H  
 [SWRK.SFT]SWRK\_DEBUG\_TARGET.COM  
 [SWRK.SFT]SWRK\_DEFAULT.H  
 [SWRK.SFT]SWRK\_DEFINE\_ACMS\_TSS\_HARDCOPY.EXE  
 [SWRK.SFT]SWRK\_DEFINE\_COMMON\_SYMBOLS.COM  
 [SWRK.SFT]SWRK\_DEFINE\_DECW\_DEFAULTS.COM  
 [SWRK.SFT]SWRK\_DEFINE\_KEY\_SYNTAX.CLD\_APP  
 [SWRK.SFT]SWRK\_DEFINE\_TOOLS\_LOGICALS.COM  
 [SWRK.SFT]SWRK\_DEFINE\_VIDEO\_SYMBOLS.COM  
 [SWRK.SFT]SWRK\_DELETE\_FILE\_TREE.COM  
 [SWRK.SFT]SWRK\_DIRECTORY\_INDEX.PM  
 [SWRK.SFT]SWRK\_DISABLE\_DEC\_USERNAMES.COM  
 [SWRK.SFT]SWRK\_DISPLAY\_NOTICES.COM  
 [SWRK.SFT]SWRK\_DKMC\_DEF.H  
 [SWRK.SFT]SWRK\_DKMF\_DEF.H  
 [SWRK.SFT]SWRK\_DO.COM  
 [SWRK.SFT]SWRK\_DO.H  
 [SWRK.SFT]SWRK\_DOCUMENT.H  
 [SWRK.SFT]SWRK\_DTE\_HAYES.EXE  
 [SWRK.SFT]SWRK\_DUIDEF.H  
 [SWRK.SFT]SWRK\_DUMP\_MEMORY.H  
 [SWRK.SFT]SWRK\_DUMP\_PROCESS.H

[SWRK.SFT]SWRK\_EDIT.COM  
 [SWRK.SFT]SWRK\_EDIT\_MAIL.COM  
 [SWRK.SFT]SWRK\_EDT.INI  
 [SWRK.SFT]SWRK\_EFS.H  
 [SWRK.SFT]SWRK\_ENTY\_DEF.H  
 [SWRK.SFT]SWRK\_EQCL\_DEF.H  
 [SWRK.SFT]SWRK\_EVENT.H  
 [SWRK.SFT]SWRK\_EXH.H  
 [SWRK.SFT]SWRK\_EXIT\_NON\_SWTECH.COM  
 [SWRK.SFT]SWRK\_EXIT\_VERB.CLD\_APP  
 [SWRK.SFT]SWRK\_FILE.H  
 [SWRK.SFT]SWRK\_FILE\_TYPE.H  
 [SWRK.SFT]SWRK\_FLCL\_DEF.H  
 [SWRK.SFT]SWRK\_FLFT\_DEF.H  
 [SWRK.SFT]SWRK\_GET\_ARG.EXE  
 [SWRK.SFT]SWRK\_GET\_ARG.PM  
 [SWRK.SFT]SWRK\_GET\_SOCKET.EXE  
 [SWRK.SFT]SWRK\_HELP\_VERB.CLD\_APP  
 [SWRK.SFT]SWRK\_HISTORY\_FILE.FDL  
 [SWRK.SFT]SWRK\_IMAGE.H  
 [SWRK.SFT]SWRK\_INDEX.H  
 [SWRK.SFT]SWRK\_INDT\_DEF.H  
 [SWRK.SFT]SWRK\_INPUT.H  
 [SWRK.SFT]SWRK\_INSTALL\_APPLICATION.COM  
 [SWRK.SFT]SWRK\_INSTALL\_KIT.PL  
 [SWRK.SFT]SWRK\_INSTALL\_PART\_1.COM  
 [SWRK.SFT]SWRK\_INSTALL\_PART\_4.COM  
 [SWRK.SFT]SWRK\_INSTALL\_PART\_5.COM  
 [SWRK.SFT]SWRK\_INTTOOLS.EXE  
 [SWRK.SFT]SWRK\_INVOKE\_PRODUCT.COM  
 [SWRK.SFT]SWRK\_JOB.H  
 [SWRK.SFT]SWRK\_JOB\_PRIV.H  
 [SWRK.SFT]SWRK\_JOB\_WRAPPER.COM  
 [SWRK.SFT]SWRK\_KEYWORD.H  
 [SWRK.SFT]SWRK\_LCTY\_DEF.H  
 [SWRK.SFT]SWRK\_LNKLST.H  
 [SWRK.SFT]SWRK\_LOGGING.H  
 [SWRK.SFT]SWRK\_LOGICAL.H  
 [SWRK.SFT]SWRK\_LOGIN.SH  
 [SWRK.SFT]SWRK\_LOGOUT.COM  
 [SWRK.SFT]SWRK\_LOG\_QUAL.H  
 [SWRK.SFT]SWRK\_MAIL.H  
 [SWRK.SFT]SWRK\_MAIL.INI  
 [SWRK.SFT]SWRK\_MAILBOX.EXE  
 [SWRK.SFT]SWRK\_MBTY\_DEF.H  
 [SWRK.SFT]SWRK\_MCIM\_DEF.H  
 [SWRK.SFT]SWRK\_MCTY\_DEF.H  
 [SWRK.SFT]SWRK\_MEMORY.H  
 [SWRK.SFT]SWRK\_MENU\_SYSTEM.COM  
 [SWRK.SFT]SWRK\_MENU\_SYSTEM\_2.COM  
 [SWRK.SFT]SWRK\_MESSAGES.H  
 [SWRK.SFT]SWRK\_MESSAGE\_LOGGER\_DCL.EXE  
 [SWRK.SFT]SWRK\_MESSAGE\_LOGGER\_SERVER.EXE  
 [SWRK.SFT]SWRK\_METHOD.H  
 [SWRK.SFT]SWRK\_METHOD\_DEF.H  
 [SWRK.SFT]SWRK\_METHOD\_SERVER\_DECNET.COM  
 [SWRK.SFT]SWRK\_METHOD\_SERVER\_TCPIP.COM  
 [SWRK.SFT]SWRK\_METHOD\_SERVER\_TCPIP.PL  
 [SWRK.SFT]SWRK\_METHOD\_WRAPPER.COM  
 [SWRK.SFT]SWRK\_METHOD\_WRAPPER.PL  
 [SWRK.SFT]SWRK\_MHTY\_DEF.H  
 [SWRK.SFT]SWRK\_MISC.H  
 [SWRK.SFT]SWRK\_MODE.H  
 [SWRK.SFT]SWRK\_MRTY\_DEF.H  
 [SWRK.SFT]SWRK\_MSAG\_DEF.H  
 [SWRK.SFT]SWRK\_MSG\_VEC\_REC.H

```

[SWRK.SFT]SWRK_MSUN_DEF.H
[SWRK.SFT]SWRK_MTMC_DEF.H
[SWRK.SFT]SWRK_MTPT_DEF.H
[SWRK.SFT]SWRK_MUNG.COM
[SWRK.SFT]SWRK_NDCL_DEF.H
[SWRK.SFT]SWRK_NET_COUNTER.COM
[SWRK.SFT]SWRK_NMMD_DEF.H
[SWRK.SFT]SWRK_NWFM_DEF.H
[SWRK.SFT]SWRK_NWLV_DEF.H
[SWRK.SFT]SWRK_NWTR_DEF.H
[SWRK.SFT]SWRK_OBJECT.H
[SWRK.SFT]SWRK_OBJECT_DEF.H
[SWRK.SFT]SWRK_OBJT_RECORD.H
[SWRK.SFT]SWRK_OBSC_DEF.H
[SWRK.SFT]SWRK_OBST_DEF.H
[SWRK.SFT]SWRK_OUTPUT.H
[SWRK.SFT]SWRK_PPTY_DEF.H
[SWRK.SFT]SWRK_PREPARE_PCCOMMON.COM
[SWRK.SFT]SWRK_PROPERTY.H
[SWRK.SFT]SWRK_PROPERTY_DEF.H
[SWRK.SFT]SWRK_PROP_DEF.H
[SWRK.SFT]SWRK_QUALIFIER.H
[SWRK.SFT]SWRK_QUEUE.H
[SWRK.SFT]SWRK_RANDOM.H
[SWRK.SFT]SWRK_RDB_COMMON.OPT_APP
[SWRK.SFT]SWRK_REMOVE_ACLS.COM
[SWRK.SFT]SWRK_REPORT_ALL.COM
[SWRK.SFT]SWRK_RESOURCE.H
[SWRK.SFT]SWRK_RESOURCE_DEF.H
[SWRK.SFT]SWRK_RLTY_DEF.H
[SWRK.SFT]SWRK_SCOPE.H
[SWRK.SFT]SWRK_SCOPE_DEF.H
[SWRK.SFT]SWRK_SECURE_SWRKSRVR.ACL
[SWRK.SFT]SWRK_SECURE_SWRK_DIR.ACL
[SWRK.SFT]SWRK_SECURE_SWRK_FILE.ACL
[SWRK.SFT]SWRK_SECURITY.H
[SWRK.SFT]SWRK_SERVER.H
[SWRK.SFT]SWRK_SERVER_CONTROL_DCL.EXE
[SWRK.SFT]SWRK_SET_APPL_UIC.EXE
[SWRK.SFT]SWRK_SET_COMPUTER_NODE.COM
[SWRK.SFT]SWRK_SET_CONTEXT.COM
[SWRK.SFT]SWRK_SET_CONTEXT_2.COM
[SWRK.SFT]SWRK_SET_DEFAULT.COM
[SWRK.SFT]SWRK_SET_ENVIRONMENT.EXE
[SWRK.SFT]SWRK_SET_PROCESS_NAME.COM
[SWRK.SFT]SWRK_SET_TERMINAL.COM
[SWRK.SFT]SWRK_SHOW_CLUSTER.INI
[SWRK.SFT]SWRK_SHOW_SYSGEN_PARAMETERS.COM
[SWRK.SFT]SWRK_SHOW_SYSTEM.COM
[SWRK.SFT]SWRK_SHOW_VERSION_SYNTAX.CLD_APP
[SWRK.SFT]SWRK_SHUTDOWN_PRODUCTS.COM
[SWRK.SFT]SWRK_SLTY_DEF.H
[SWRK.SFT]SWRK_SLRT_SWDATABASE.COM
[SWRK.SFT]SWRK_SPAWN_VERB.CLD_APP
[SWRK.SFT]SWRK_SQL.H
[SWRK.SFT]SWRK_STARTUP.COM
[SWRK.SFT]SWRK_STARTUP_ATI.COM
[SWRK.SFT]SWRK_STARTUP_BASE.COM
[SWRK.SFT]SWRK_STARTUP_DECNET_OBJECTS.COM
[SWRK.SFT]SWRK_STARTUP_DECWINDOWS.COM
[SWRK.SFT]SWRK_STARTUP_EDU.COM
[SWRK.SFT]SWRK_STARTUP_KNOWN_FILES.COM
[SWRK.SFT]SWRK_STARTUP_LOGICALS.COM
[SWRK.SFT]SWRK_STARTUP_LPBETA.COM
[SWRK.SFT]SWRK_STARTUP_LPMAIN.COM
[SWRK.SFT]SWRK_STARTUP_MONITORS.COM

```

[SWRK.SFT]SWRK\_STARTUP\_NETWORK.COM  
 [SWRK.SFT]SWRK\_STARTUP\_POWERHOUSE.COM  
 [SWRK.SFT]SWRK\_STARTUP\_PRODUCTS.COM  
 [SWRK.SFT]SWRK\_STARTUP\_TCPIP\_SERVICES.COM  
 [SWRK.SFT]SWRK\_STATISTICS.H  
 [SWRK.SFT]SWRK\_STORAGE\_DATABASE.FDL  
 [SWRK.SFT]SWRK\_STRING.H  
 [SWRK.SFT]SWRK\_STTY\_DEF.H  
 [SWRK.SFT]SWRK\_SUBCONTEXT.H  
 [SWRK.SFT]SWRK\_SVFT\_DEF.H  
 [SWRK.SFT]SWRK\_SWDATABASE\_DEF.H  
 [SWRK.SFT]SWRK\_SWDATABASE\_SERVER.EXE  
 [SWRK.SFT]SWRK\_SWDB\_ASCN\_FILE.FDL  
 [SWRK.SFT]SWRK\_SWDB\_CNTR\_FILE.FDL  
 [SWRK.SFT]SWRK\_SWDB\_FILE\_DEF.H  
 [SWRK.SFT]SWRK\_SWDB\_OBJT\_FILE.FDL  
 [SWRK.SFT]SWRK\_SYMBOL.H  
 [SWRK.SFT]SWRK\_SYMBOL\_FILE.FDL  
 [SWRK.SFT]SWRK\_SYSTOOLS.EXE  
 [SWRK.SFT]SWRK\_SYSWORKS.EXE  
 [SWRK.SFT]SWRK\_TIMER.H  
 [SWRK.SFT]SWRK\_TRACE.H  
 [SWRK.SFT]SWRK\_TUNE\_SYSTEM.COM  
 [SWRK.SFT]SWRK\_UNSHARE.COM  
 [SWRK.SFT]SWRK\_UPDATE\_IDENT\_UIC.COM  
 [SWRK.SFT]SWRK\_UPDATE\_SWDATABASE.COM  
 [SWRK.SFT]SWRK\_UPDATE\_VUE\_PROFILE.COM  
 [SWRK.SFT]SWRK\_USERNAME.H  
 [SWRK.SFT]SWRK\_UTLTOOLS.EXE  
 [SWRK.SFT]SWRK\_VARIABLE.H  
 [SWRK.SFT]SWRK\_VARTYPDEF.H  
 [SWRK.SFT]SWRK\_VUE\_ACAS.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_ACMS.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_ALLIN1.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_BACKGROUNDS.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_BASIC.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_CAPTIVE.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_CHART.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_CMS.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_DATATRIEVE.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_DEBUG.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_DECISION.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_DECSET.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_DOCUMENT.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_DTM.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_FAX\_OPERATOR.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_FORMS.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_LSEDT.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_MAILWORKS.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_MMS.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_MOSAIC.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_NETSCAPE.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_NET\_MGMT.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_NOTES.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_OBB.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_PCA.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_AC.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_AM.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_CP.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_DC.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_FO.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_NM.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_NM\_ENIM.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_NM\_LTM.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_NM\_TSM.VUE\$DAT  
 [SWRK.SFT]SWRK\_VUE\_POLY\_PA.VUE\$DAT

```

[SWRK.SFT]SWRK_VUE_POLY_SC.VUE$DAT
[SWRK.SFT]SWRK_VUE_POLY_SI.VUE$DAT
[SWRK.SFT]SWRK_VUE_POSIX.VUE$DAT
[SWRK.SFT]SWRK_VUE_PRESENT.VUE$DAT
[SWRK.SFT]SWRK_VUE_PROFILE.FDL
[SWRK.SFT]SWRK_VUE_PROFILE.VUE$DAT
[SWRK.SFT]SWRK_VUE_PRTCTL.VUE$DAT
[SWRK.SFT]SWRK_VUE_RDBEXPERT.VUE$DAT
[SWRK.SFT]SWRK_VUE_SCA.VUE$DAT
[SWRK.SFT]SWRK_VUE_SOFTPC.VUE$DAT
[SWRK.SFT]SWRK_VUE_SOFTWIN.VUE$DAT
[SWRK.SFT]SWRK_VUE_VUIT.VUE$DAT
[SWRK.SFT]SWRK_VUE_WRITE.VUE$DAT
[SWRK.SFT]SWRK_WHO.EXE
[SWRK.SFT]SYCONFIG.COM
[SWRK.SFT]SYLOGICALS.COM
[SWRK.SFT]SYLOGIN.COM
[SWRK.SFT]SYPAGSWPFILES.COM
[SWRK.SFT]SYSECURITY.COM
[SWRK.SFT]SYSHUTDOWN.COM
[SWRK.SFT]SYSTARTUP_VMS.COM
[SWRK.SFT]TPU.DAT
[SWRK.SFT]_ETC_CSH__LOGIN.TEMPLATE
[SWRK.SFT]_ETC_PROFILE.TEMPLATE
[SWRK.SFT]_USR_SKEL__BASHRC.TEMPLATE
[SWRK.SFT]_USR_SKEL__CSHRC.TEMPLATE
[SWRK.SFT]_USR_SKEL__LOGIN.TEMPLATE
[SWRK.SFT]_USR_SKEL__PROFILE.TEMPLATE

```

```

[SWRK.TST]SWRK_TST_BASE.PL
[SWRK.TST]SWRK_TST_BATCH_JOB.EXE
[SWRK.TST]SWRK_TST_BATCH_JOB_1.COM
[SWRK.TST]SWRK_TST_BINARY_SEARCH.EXE
[SWRK.TST]SWRK_TST_BITMAP.EXE
[SWRK.TST]SWRK_TST_CALL_IMAGE.COM
[SWRK.TST]SWRK_TST_CALL_IMAGE.EXE
[SWRK.TST]SWRK_TST_CALL_IMAGE2_SHR.EXE
[SWRK.TST]SWRK_TST_CALL_IMAGE_SHR.EXE
[SWRK.TST]SWRK_TST_COMM.COM
[SWRK.TST]SWRK_TST_COMPUTER_NODE.EXE
[SWRK.TST]SWRK_TST_CONTEXT.PL
[SWRK.TST]SWRK_TST_COPY.EXE
[SWRK.TST]SWRK_TST_COUNTER.EXE
[SWRK.TST]SWRK_TST_DATE_TIME.EXE
[SWRK.TST]SWRK_TST_DELETE_REVERSE.COM
[SWRK.TST]SWRK_TST_DETACHED_JOB.EXE
[SWRK.TST]SWRK_TST_DET_1.COM
[SWRK.TST]SWRK_TST_DET_2.COM
[SWRK.TST]SWRK_TST_DOCUMENT.EXE
[SWRK.TST]SWRK_TST_DO_COMMAND.COM
[SWRK.TST]SWRK_TST_DO_COMMAND.EXE
[SWRK.TST]SWRK_TST_DO_COMMAND_1.COM
[SWRK.TST]SWRK_TST_DO_COMMAND_2.COM
[SWRK.TST]SWRK_TST_DO_COMMAND_3.COM
[SWRK.TST]SWRK_TST_DUMP_MEMORY.EXE
[SWRK.TST]SWRK_TST_DUMP_PROCESS.EXE
[SWRK.TST]SWRK_TST_EVENT.COM
[SWRK.TST]SWRK_TST_EVENT_CLIENT.EXE
[SWRK.TST]SWRK_TST_EVENT_SERVER.EXE
[SWRK.TST]SWRK_TST_EXH.EXE
[SWRK.TST]SWRK_TST_EXH_EXEC.EXE
[SWRK.TST]SWRK_TST_INTTOOLS.COM
[SWRK.TST]SWRK_TST_LOGGING.EXE
[SWRK.TST]SWRK_TST_LOGGING_MAIL.EXE

```

[SWRK.TST]SWRK\_TST\_LOGGING\_MAIL\_BATCH.EXE  
[SWRK.TST]SWRK\_TST\_MAIL.COM  
[SWRK.TST]SWRK\_TST\_MAILBOX\_CLIENT.EXE  
[SWRK.TST]SWRK\_TST\_MAILBOX\_SERVER.EXE  
[SWRK.TST]SWRK\_TST\_MEMORY.EXE  
[SWRK.TST]SWRK\_TST\_METHOD\_SERVER.PHP  
[SWRK.TST]SWRK\_TST\_METHOD\_SERVER.PL  
[SWRK.TST]SWRK\_TST\_OBJECTS.COM  
[SWRK.TST]SWRK\_TST\_OUTPUT.EXE  
[SWRK.TST]SWRK\_TST\_RDBCOBOL.EXE  
[SWRK.TST]SWRK\_TST\_REPOSITORY.EXE  
[SWRK.TST]SWRK\_TST\_RESOURCE.EXE  
[SWRK.TST]SWRK\_TST\_RESOURCE\_CHECK.EXE  
[SWRK.TST]SWRK\_TST\_SQLSTATE.EXE  
[SWRK.TST]SWRK\_TST\_STATISTICS.EXE  
[SWRK.TST]SWRK\_TST\_STRING.EXE  
[SWRK.TST]SWRK\_TST\_SYMBOL.EXE  
[SWRK.TST]SWRK\_TST\_TCPIP\_CLIENT.EXE  
[SWRK.TST]SWRK\_TST\_TCPIP\_CLIENT\_2.EXE  
[SWRK.TST]SWRK\_TST\_TCPIP\_SERVER.EXE  
[SWRK.TST]SWRK\_TST\_TRACE.COM  
[SWRK.TST]SWRK\_TST\_TRACE.EXE  
[SWRK.TST]SWRK\_TST\_UDPIP\_CLIENT.EXE  
[SWRK.TST]SWRK\_TST\_UDPIP\_SERVER.EXE  
[SWRK.TST]SWRK\_TST\_USERNAME.EXE  
[SWRK.TST]SWRK\_TST\_UTLTOOLS.COM  
[SWRK.TST]SWRK\_TST\_VARIABLE.EXE  
[SWRK.TST]SWRK\_TST\_VERSION.COM

